



PRODUCT CATALOGUE



GUANGZHOU TOPMEDI CO., LTD.
Tel: +86 20 2210 5997 E-mail: sales@topmedi.com topmedi@qq.com
Web: www.topmedi.com Fax: +86 20 8235 1969 QQ: 2254188188





COMPANY INTRODUCTION

Since the establishment of TOPMEDI, our company is committed to supplying cost-effective medical products for elder and handicapped. Our main products include electric wheelchair, manual wheelchair, shower chair, walking aids and hospital bed. Topmedi, this company name is the original intention to be the top medical enterprise. So far, Topmedi products have been well accepted in 80 countries, mainly Australia, America, New Zealand, UK, France, Spain and United Arab Emirates.

Also, we not only achieve strategic partnership with a number of overseas well-known companies, the foundations, the Paralympic Games, chain pharmacies, hospitals, but also become multi national government cooperative suppliers. TOPMEDI enjoy high reputation among customers, for which we are deeply a sense of pride.



TOPMEDI MISSION

- ① Supplying the most suitable medical products to the global customers.
- ② Building platforms for every staff of TopMedi to realize his value of life.

TOPMEDI ASPIRATIONS AND PROSPECTS

Offering solutions of rehabilitation and first aid to the global customers

FACTORY

We TOPMEDI are an leading manufacturer of rehabilitation equipment in China. With over 30,000 m² workshop, our annual production capacity is 500,000 wheelchairs, 2000,000 walking aids, and 10,000 hospital beds.



Our product have been well accepted in 80 countries, mainly Australia, Europe, Middle East and Asia, covering both high end and middle end market, enjoy high reputation among customers with high quality standard control on each production process. All the staff in TOPMEDI pursue perfect on quality, delivery time, price and service, try our best to set up the standardization of components and product serialization, strive for being a good corporate citizen in the field of barrier-free structures.

OUR CLIENT



DEVELOPMENT HISTORY

2020-2021

Topmedi products have been well accepted in more than 80 countries, including Europe, Asia, Australia, America and Africa, mainly Spain, Germany, France, Sweden, Kazakhstan, Mexico and Peru.

2018-2019

- Topmedi hospital Bed supplied to hospital of South China University of Technology.
- Appointed supplier of Air Asia.

2016-2017

- Topmedi get the largest order in China for wheelchair, supplying 68,000 wheelchairs to Ministry of Health, Philippines, making a great flutter in China Wheelchair industry.
- Topmedi hospital beds supplied to Korea Military Hospital.the development of Topmedi.

2014-2015

- Topmedi sales team moved to Liwan, Guangzhou, and products supplied to Spanish public organization.
- Well known figure, former Ministry of Education, former Director of UNESCO, Armoogum Parsuramam, visit Topmedi, and give high credit for the development of Topmedi.

2012-2013

- Topmedi start to supply Wheelchairs and Shower chair to New Zealand and Australian government.
- Topmedi set up Guangzhou sales, R&D office in Panyu, Guangzhou, first foreign employee Gazu from France, products supplied to Public Health Foundation of India.

2004-2009

- Topmedi's predecessor Sinwell founded, for hospital supplies.
- Company name changed to TOPMEDI, focusing on wheelchairs & rehabilitation supplies.
- Joint venture partner factory set in Foshan, Guangdong.

OUR CERTIFICATE



ISO
F0016303423



CE
F0025185



Electric Wheelchair, Walking Aids, Rollator,
Manual Wheelchair Confirmation
F00235773, F00281619, F00235772



RoHS
F0031903148-V3R2-TJU



TUV
F17426547-TJU



Intertek
F20981795-TJU



GS1 China Membership License



BV
FMC-AS161007J



Patent

GODINGER

- ① Electric wheelchair series
- ② Scooter series
- ③ Aluminum wheelchair
- ④ Stainless steel wheelchair
- ⑤ Leisure & sports wheelchair
- ⑥ Reclining wheelchair
- ⑦ Children's wheelchair series
- ⑧ Toilet chair series
- ⑨ Bath chair series
- ⑩ Walking aids series
- ⑪ Medical bed series
- ⑫ Rehabilitation aids series

Electric wheelchair series (Lithium battery or lead-acid battery can be used)



TEW002

Electric folding wheelchair, Painted steel frame, Quickly detachable battery box, Flip up armrest, Swing away footrest, Double Motor rear wheeldrive, Padded nylonupholstery, 10 inch front solidtires, rear 11 inch spoke wheel with Pneumatic-tire, With hand brake and manual and auto-matic drive clutch.

	96.5		101
	52.5		63.5
	33		45
	60		39.5
	44/49		B8X44XB2
	56		250Wx2
	12°		100
	20		>20



TEW002E

steel chair frame motordc 250w *2pcs (domestic)battery:24v 12ah lead-acid battery Controller domestic control with electromagnetic brake optional battery : (20ah battery can be up to 30km/h)

	96.5		101
	52.5		63.5
	33		45
	60		39.5
	46/50		B8X53XB3
	-		250Wx2
	-		100
	20		>20



TEW002(EL)

Aluminum chair frame motordc 250w *2pcs (domestic)battery:24v 12ah lead-acid battery Controller domestic control with electromagnetic brake.

	96.5		101
	50		68.5
	26		45
	53		39.5
	37/42		B8X53XB3
	43		250Wx2
	-		100
	12/20		>20



TEW005

High strength aluminum chair frame, PO controller, Taiwan imported Motor, Height-adjustable armrest, Detachable footrest, Dropback handle, 8 inch PU front castor, 12.5 inch PU solid wheel, With anti-wheel lead acid battery, with storage bag.

	93		-
	46		60
	26		45
	42		-
	45		-
	50		200Wx2
	12°		120
	24		20-25

● TEW108LA

Economic aluminum basic electric wheelchair
km/h)



	93		109
	50		68.5
	26		45
	73		39.5
	40/46		B8X44XB2
	56		250Wx2
	-		100
	20		>20

● TEW108LA(E)

Powder coated steel frame
driving rang:15-20km, max speed:6km/h
Motor:250w * 2pcs , battery:24v 12ah lead-acid-battery, control: domestic controller, frame mate-riat: steel with liquid painting, with electromagneticbrake, optional battery (20ah battery can be upto 37.6km/h)



	93		109
	50		68.5
	26		45
	73		39.5
	41/47		B8X53XB3
	49		250Wx2
	-		100
	20		>20

● TEW108LA(L)

Aluminum frame electric wheelchair, driv-
in-grang: 15-20km, max speed:6km/h, mo-
tor:250w * 2pcs , battery:24v 12ah lead-acid bat-
tery, controidomestic controller, without electro-
magneticbrake, optional battery (20ah battery
can be upto 37.6km/h)



	95.5		103
	50		68.5
	26		45
	73		39.5
	36/41		-
	-		250Wx2
	-		100
	20		>20

● TEW108LA(TE)

Steel frame electric wheelchairDriving
rang:15-37.6km
Max speed:6km/h
Motortaiwan motor 250w * 2pcsbattery:24v 20ah
lead-acid batteryControl: domestic controller
With electromagnetic brake.



	94		117
	50		62
	26		45
	73		39.5
	51		-
	-		250Wx2
	-		120
	20		15-20



◆ TEW108LA(TLE)

Aluminum frame electric wheelchairDriving range:35~37.6km, Max speed:6km/h, Motor:taiwan motor 250w * 2pcs
Battery:24v 20ah lead-acid battery, Control: domestic controller, with electromagnetic brake, with electromagnetic brake.

○	94.5	○	108
○	50.5	□	65.5
○	26	□	46
○	73	△	41
○	43	△H	-
○	-	■	250Wx2
○	-	HPD	120
■	20	○	15-20

◆ TEW110A

Powder coated steel frameDriving range:15~20km, Max speed:6km/h, Motor:250w * 2pcs, Battery:24v 12ah lead-acid battery, Control: domestic controller, Without electromagnetic brake, Optional battery (20ah battery can be upto 25 km/h)

○	93.5	○	114
○	50	□	64
○	26	□	45
○	40	△	38.5
○	41/46	△H	-
○	-	■	250Wx2
○	-	HPD	100
■	20	○	>20



◆ TEW110A(E)

Powder coated steel frameDriving range:15~20km, Max speed:6km/h, Motor:250w * 2pcs, Battery:24v 12ah lead-acid battery, Control: domestic controller, Without electromagnetic brake, Optional battery (20ah battery can be up to 25km/h)



◆ TEW110A(TE)

Powder coated steel frameDriving range:20~26 km, Max speed:6km/h, Motor:250w * 2pcs (taiwan motor), battery:24v 20ah lead-acid battery, Control: domestic controller, Parking brake:without, with electromagnetic brake.



◆ TEW110A(TLE)

Driving rang: 20~26 KM
Max speed: 6km/h
Motor: 250w * 2pcs (Taiwan motor)
Battery: 24V 20AH lead-acid battery
Control: domestic controller
Parking brake: without
With electromagnetic brake.

MODEL NO.	○	○	○	○	○	□	○	△	△	△H	△W	NW	○	■	△	△W	△H
TEW10A(E)	64	93.5	40	50	64	26	39.5	46	100	55	62/47	>20	250Wx2	20	-	77X50X82	
TEW10A(TE)	17	94	40	50	62	26	39.5	46	120	55	48	15-20	250Wx2	32	-	82X49X82	
TEW10A(TLE)	106	94	40	48	61	26	39.5	46	120	60	43	25	250Wx2	20	87	75.5X49X81.5	



◆TEW121LF1(B)

Frame material:steel with liquid painting
Driving range:15-20km, Max speed:6km/h
Motor:250w * 2pcs (domestic), battery:24v 12ah lead acid battery , control:domestic controller
Manual elevating footrest (adjustable angle) ≥ 60
manual reclining backrest (adjustable angle): ≥ 80
Parking brake:without electromagnetic
Optional battery (20ah battery can be up to 37.6 km/h)

◆TEW121LF1(BE)

Frame material:steel with liquid painting
Driving range:15-20km, Max speed:6km/h
Motor:250w * 2pcs (domestic), battery:24v 12ah lead acid battery , control:domestic controller
Manual elevating footrest (adjustable angle) ≥ 60
manual reclining backrest (adjustable angle): ≥ 80
Parking brake:without electromagnetic
Optional battery (20ah battery can be up to 37.6 km/h)



◆TEW121LF1(afabB)

Frame material:steel with liquid painting
Driving range:15-20km, Max speed:6km/h
Motor:250w * 2pcs (domestic), battery:24v 12ah lead acid battery , Electric elevating footrest (adjustable angle) ≥ 60
electric reclining backrest (adjustable angle): ≥ 45
Parking brake:without electromagnetic, Optional battery (20ah battery can be up to 37.6 km/h)



◆TEW121LF1(afabBE)

Frame material:steel with liquid painting
Driving range:15-20km, Max speed:6km/h
Motor:250w * 2pcs (domestic), battery:24v 12ah lead acid battery , Electric elevating footrest (adjustable angle) ≥ 60
electric reclining backrest (adjustable angle): ≥ 45, Parking brake:without electromagnetic, Optional battery (20ah battery can be up to 37.6 km/h)

◆TEW121LF1(M)

Frame material:steel with liquid painting
Driving range:15-20km, Max speed:6km/h, Motor:250w * 2pcs (domestic), battery:24v 12ah lead acid battery , Manual elevating footrest (adjustable angle) ≥ 60
manual reclining backrest (adjustable angle): ≥ 80, Parking brake:without electromagnetic, Optional battery (20ah battery can be up to 30 km/h)



◆TEW121LF1(ME)

Frame material:steel with liquid painting
Driving range:15-20km, Max speed:6km/h, Motor:250w * 2pcs (domestic), battery:24v 12ah lead acid battery , Manual elevating footrest (adjustable angle) ≥ 60
manual reclining backrest (adjustable angle): ≥ 80, Parking brake:without electromagnetic, Optional battery (20ah battery can be up to 30 km/h)

MODEL NO.	坐	躺	躺	躺	坐	躺	躺	坐	坐	坐	坐	坐	坐	坐	坐	坐	坐	坐	坐
TEW121LF1(B)	88	93	73	60	67	26	39.5	45	100	50	46/52	>20	280x2	12/20	-	BBX46X82			
TEW121LF1(BE)	87	93	73	60	67	26	39.5	45	100	50	47/53	>20	290x2	12/20	-	BBX53X83			
TEW121LF1(afabB)	80	93	73	60	68.5	26	39.5	45	100	60	48/58	>20	250x2	12/20	-	BBX44X82			

MODEL NO.	坐	躺	躺	躺	坐	躺	躺	坐	坐	坐	坐	坐	坐	坐	坐	坐	坐	坐	坐
TEW121LF1(afabB)	70	93	73	60	68.5	26	39.5	45	100	60	49/54	>20	260x2	12/20	-	BBX53X83			
TEW121LF1(M)	70	98	80	63	63.5	33	40	45	100	62	49/55	>20	260x2	12/20	-	BBX44X82			
TEW121LF1(ME)	70	98	80	63	63.5	26	40	40	100	60	48/53	>20	260x2	12/20	-	-			

Electric wheelchair series (For lithium batteries only)



TEW007F

Remote control folding brushless motor electric wheelchair

○○	90	○○	100
○○	36	□	63
○○	26	□	46
○○	40	□	36
△△	28	△△	68.5X55X77
△△	32.5	△△	250Wx2
○○	-	△△	125
■■	10	○○	10



TEW007D

Aluminum frame electric wheelchair two step quick folding, removable battery box for recharging comfortable contoured cushion ,controller can be exchanged from right side to the left , long driving distance, up to 25km, 250wx2 domestic xiangming motor, 24v20ah lithium battery which, Frame color :white

○○	95	○○	98
○○	46	□	60
○○	26	□	44.5
○○	40	□	46
△△	27/28	△△	68X43X87
△△	31	△△	250Wx2
○○	-	△△	100
■■	20	○○	>20



TEW007DS

Aluminum frame electric wheelchair two step quick folding, removable battery box for recharging comfortable contoured cushion ,controller can be exchanged from right side to the left , long driving distance, up to 25km, 250wx2 domestic xiangming motor, 24v20ah lithium battery which, Frame color :white

○○	95	○○	98
○○	46	□	60
○○	26	□	44
○○	33	□	46
△△	26/27	△△	68.5X44.5X89
△△	32	△△	180Wx2
○○	12°	△△	100
■■	12/20AH	○○	>20



TEW007D(S)A

Aluminum frame electric wheelchair two step quick folding, removable battery box for recharging comfortable contoured cushion ,controller can be exchanged from right side to the left , long driving distance, up to 25km, 250wx2 domestic xiangming motor, 24v20ah lithium battery which, Frame color :white

○○	95	○○	98
○○	46	□	60
○○	33	□	44.5
○○	33	□	46
△△	27/28	△△	68X43X87
△△	31	△△	250Wx2
○○	12°	△△	100
■■	12/20AH	○○	>20



● TEW118

Super lightweight magnesium-aluminum alloy electric wheelchair

	90		95
	48		61
	23		45
	33		-
	17		74X40X83
	21		120Wx2
	15"		110
	10		10



● TEW112G

Aluminum material frame
Detachable 6AH lithium battery/Motor 150W*2
Battery 30AH lithium battery/Controller Domestic controller
Quick easy folding electric wheelchair

	86		94
	-		64
	26		44.5
	33		-
	19		-
	-		150Wx2
	-		100
	10		-



● TEW118G

Frame material: magnesium aluminum alloy/Battery: 10AH lithium electricity controller: domestic split Motor: domestic 120W*2/Endurance: 10km speed: 7km/h Charging time: 6-8 hour

	94		103
	-		53
	23		46
	33		-
	17		71X35X74
	21		120Wx2
	15"		120
	10		10



● TEW112E

Aluminum alloy frame/cortical seat back cushion/Brush motor 180w*2 6Ah lithium battery Quick disconnect battery/turn up handrail Endurance 10-15km/small folding volume

	94		98
	62		55
	23		42
	33		-
	16		98X56X33
	18		180Wx2
	-		100
	8		10-15

◆ TEW007H

Max User Weight Capacity 100kg/220LBs, Seat cover soft cloth, Backrest Fixed, Footrest flip up, Arm Rest flip up with PU top, Motor 150W*2, Brush DC Electromagnetic Brake Motor with tail-light, Battery 24V/10AH^{±1} Lithium battery, Mileage 15~20km after one-time full charging, Charger time 4~5 hours.



	88		103
	45		56
	26		41
	33		40
	20.5		58.5x33.5x93.5
	22.5		150Wh*2
	-		100
	10		15~20

◆ TEW107LAEP

Powder coating aluminum frame, flip-up arm-rest, pu castor, pu drive wheel, lithium battery, foldable chair frame, drop back handle, foldable push bar.



	94		107
	49		68
	20		44
	60		41
	33		88x40x73
	39.1		150Wh*2
	8°		75
	23		20

◆ TEW003

Aluminum chair frame motor dc 250w *2pcs (domestic), battery 24v 12ah lead-acid battery, Controller: domestic control, With electromagnetic brake, Optional battery (20ah battery can be up to 30



	-		-
	-		-
	-		-
	-		-
	16		-
	20		350W
	15°		-
	10		1~25

◆ TEW102LAEP

Aluminum frame, drop back handle, flip-up arm-rest, flip-up footrest, pu castor and rear wheel, lithium battery, foldable push bar.



	92		88
	52		63
	18		46
	38		42
	25		78x33x75
	31		150Wh*2
	12°		100
	32		20

Electric wheelchair series (For lead acid batteries only)

TEW123K

Powder coating steel frame, Angle-adjustable backrest, Adjustable armrest pad, Rubber foam castor and drive rear wheel, Detachable side-board, With safety lamps, Detachable strong footrest



	97
	55
	20
	32
	63
	70.8
	12°
	28AH
	107
	64
	46
	47
	78x68x69
	200Wx2
	100
	20



TEW128K

Indoor Power Wheelchair, Height Adjustable Footrest, Rubber Foam Castor, Rubber Foam Rear Wheel, Vehicle Seat, Adjustable Backrest, Flip-up Armrest

	123
	55
	20
	32
	65
	73.3
	12°
	28AH
	90
	60
	46
	47
	77x66x73
	200Wx2
	100
	20

TEW131GC

Steel Chair Frame, Adjustable And Detachable Armrest, Reclining High Back, Detachable And Elevating Footrest, Rubber Foam Castor And Drive Rear Wheel, Electrical Lifting Seat, Tilting Seat.



	108
	59
	20
	32
	91.7
	98.5
	12°
	40AH
	108
	64
	44
	37
	85x65x75
	200Wx2
	91.7
	26



TEW140

Comfortable Vehicle seat, Adjustable Backrest And Seat Height, Flip-up Armrest, Rubber Foam Wheel With Driving Lamp.

	135
	64-70
	20
	26
	105.2
	131.6
	8°
	40AH
	138
	63
	46
	50
	140x71x79
	500W
	125
	30



TEW119

Standing & backrest reclining electric wheelchair
Driving range 20-30km, Max speed 10km/h, Motor 250w * 2pcs, Battery 24v 32ah lead acid battery, Controldynamic controller
Parking brake with electromagnetic brake
Frame: carbon steel

	128		111
	51		63
	28		45
	40		39.5
	115		106x70x130
	125		250Wx2
	-		120
	32		20-30



TEW139

Power Stand Up Wheel Chair, Powder Coating frame
Flip-Up Armrest With Single Contrater For Both Driving & Seat Lifting.
Strong Rubber Foam Drive Wheel,
Special Design With Comfortable Safety Legest Belt.

	96		-
	52		69
	28		46
	41		-
	71		-
	85		200Wx2
	12%		100
	38		15-20



◆ TEW124

Frame material: steel with liquid painting
Driving range: 20-28km, Max speed: 6km/h
Motor: 250W * 2pcs (taiwan motor), battery: 24V 20Ah lead acid battery , control: domestic controller, Manual: elevating footrest (adjustable angle) 60°, manual reclining backrest (adjustable angle): 80°



• TEW130LGC

Aluminum Chair Frame, comfortable vehicle
Seat, Reclining High Back, Elevating Footrest, De-
tachable Armrest, Rubber Foam Castor And Drive
Bearingwheel.



• TEW127K

Resin-coating Steel Frame,Adjustable Arm-rest Pad, Detachable Sideboard, Detachable footrest, Detachable backrest,Rubber Foamcastor And Drive Brake wheel.

MODEL NO.	26	26	26	26	27	27	27	27	27	27	27	27	27	27	27	27	27	27
TEW124	-	92	40	52	62	26	-	46	100	85	71	10-20	200x2	38	12"	-		
TEW130LOC	112	92	32	56	61	20	55	46	100	75	69.8	20	200x2	29	12"	77X60X63		
TEW127	100	94	32	54	60	20	41	46	100	66	61	20	300x2	29	12"	75X65X63		



TEW128

Full-automatic remote control electric folding mobility scooter, 150w motor, 26.8v/10ah lithium battery. With full-automatic protection charger, with imprested dynarnic controller, with taiwan charger, with electromagnetic braken system.

	84.5		25
	55.5		56
	25		41
	100		31
	28		/
	25.9V10AH		160
	12°		4
	17		15



● TEW121A

Electric handicapped mobilityscooter, 20ow domestic motor, 24V/12AH Lead-acidbattery (17AH,22AH Lead-acidbattery or 20AH lithium batteryis optional), curtis controller, Taiwan-charger, Folding seat backrest, Detachable batterybox, With electromagneticbrake, With anti-wheel, with headlight and storage basket.

	90		28
	1		50
	26		41
	100		80
	36		113X53X56
	1		1
	1		1
	1		1



◆ TEW127

Double seat electric mobility scooter, strong motor 500W,48V/20Ah Lead-acidbattery, Domestic controller and charger, Adjustable seat height,
With electromagnetic broke system, With stop-light, headlight and cornering lamp.



• TEW166

Motor: 250w
Controller: domestic3
Battery: 38V 10AH lithium battery
Speed: 15km/h, **endurance:** 26km.
Climbing ability: 25°
Material: aluminum alloy

MODEL NO.																		
TEW027	123	43	58.5	94	43	84	100	84	76	45	4	500	15	48/20	12"	/		
TEW004A	80	33	43	54	20	36	100	41.5	41	/	/	360	20	12	9"	95X50X40		
TEW168	75-95	40	60	52	26	36	100	22	18	/	26	260	15	36/10	26-7"	51.5X37X83		



THE004A

Frame material: aluminum alloy
Motor: 180W brushless
Battery: 10AH lithium battery
Controller: domestic
Folding and standing, light weight, only 19kg
Climbing angle: 8°
Front and rear shock absorbers
With electromagnetic brake
With Front bag

TEW128M

TEW128 Monaul folding mobility scooter Motor:
120w
Battery 24V/10AH lithium battery (Lo)
Controller, With imported Dynamic controller,
Charger 24V/2A, Max climbing ability :10 °
Endurance 15km



TEW123A

It can lift the armrest, move and adjust the width between armrests, adjust the height of the seat, standard light backrest, foldable sponge seat, the seat can rotate, adjust the angle of the steering lever, and fully automatic electromagnetic brake



TEW123

Dimensions(LxWxH): 980x525x920mm, Max Forward Speed km/h (5mi/h)
Max Driving Gradient: 15-25km(9.5-15.5miles)
Weight Capacity: 120kg(265lbs) Suspensions, Tire Sizes: 9"x2.5"(Front) 9"x3"(Rear), Brake System, Electromagnetic Brake, Batteries, Lead-acid 12V12AH*2pcs, (20Ah optional)



TEW408

Dimensions(LxWxH): 1230X640x1300mm
Max Forward Speed: 15km/h(9.3mi/h)
Max Driving Gradient: 12°
Max Driving Range: 50km(31 miles)



TEW125B

Dimensions(LxWxH): 1110x525x920mm
Max Forward Speed: 8km/h(5mi/h)
Max Driving Gradient: 10°
Max Driving Range: 15-25km(9.5-15.5miles)

MODEL NO.	12V	24V	36V	48V	72V	100V	120V	140V	160V	180V	200V	220V	240V	260V	280V	300V	320V	340V	360V	380V	400V	420V	440V	460V	480V	500V	520V	540V	560V	580V	600V	620V	640V	660V	680V	700V	720V	740V	760V	780V	800V	820V	840V	860V	880V	900V	920V	940V	960V	980V	1000V	1020V	1040V	1060V	1080V	1100V	1120V	1140V	1160V	1180V	1200V	1220V	1240V	1260V	1280V	1300V	1320V	1340V	1360V	1380V	1400V	1420V	1440V	1460V	1480V	1500V	1520V	1540V	1560V	1580V	1600V	1620V	1640V	1660V	1680V	1700V	1720V	1740V	1760V	1780V	1800V	1820V	1840V	1860V	1880V	1900V	1920V	1940V	1960V	1980V	2000V	2020V	2040V	2060V	2080V	2100V	2120V	2140V	2160V	2180V	2200V	2220V	2240V	2260V	2280V	2300V	2320V	2340V	2360V	2380V	2400V	2420V	2440V	2460V	2480V	2500V	2520V	2540V	2560V	2580V	2600V	2620V	2640V	2660V	2680V	2700V	2720V	2740V	2760V	2780V	2800V	2820V	2840V	2860V	2880V	2900V	2920V	2940V	2960V	2980V	3000V	3020V	3040V	3060V	3080V	3100V	3120V	3140V	3160V	3180V	3200V	3220V	3240V	3260V	3280V	3300V	3320V	3340V	3360V	3380V	3400V	3420V	3440V	3460V	3480V	3500V	3520V	3540V	3560V	3580V	3600V	3620V	3640V	3660V	3680V	3700V	3720V	3740V	3760V	3780V	3800V	3820V	3840V	3860V	3880V	3900V	3920V	3940V	3960V	3980V	4000V	4020V	4040V	4060V	4080V	4100V	4120V	4140V	4160V	4180V	4200V	4220V	4240V	4260V	4280V	4300V	4320V	4340V	4360V	4380V	4400V	4420V	4440V	4460V	4480V	4500V	4520V	4540V	4560V	4580V	4600V	4620V	4640V	4660V	4680V	4700V	4720V	4740V	4760V	4780V	4800V	4820V	4840V	4860V	4880V	4900V	4920V	4940V	4960V	4980V	5000V	5020V	5040V	5060V	5080V	5100V	5120V	5140V	5160V	5180V	5200V	5220V	5240V	5260V	5280V	5300V	5320V	5340V	5360V	5380V	5400V	5420V	5440V	5460V	5480V	5500V	5520V	5540V	5560V	5580V	5600V	5620V	5640V	5660V	5680V	5700V	5720V	5740V	5760V	5780V	5800V	5820V	5840V	5860V	5880V	5900V	5920V	5940V	5960V	5980V	6000V	6020V	6040V	6060V	6080V	6100V	6120V	6140V	6160V	6180V	6200V	6220V	6240V	6260V	6280V	6300V	6320V	6340V	6360V	6380V	6400V	6420V	6440V	6460V	6480V	6500V	6520V	6540V	6560V	6580V	6600V	6620V	6640V	6660V	6680V	6700V	6720V	6740V	6760V	6780V	6800V	6820V	6840V	6860V	6880V	6900V	6920V	6940V	6960V	6980V	7000V	7020V	7040V	7060V	7080V	7100V	7120V	7140V	7160V	7180V	7200V	7220V	7240V	7260V	7280V	7300V	7320V	7340V	7360V	7380V	7400V	7420V	7440V	7460V	7480V	7500V	7520V	7540V	7560V	7580V	7600V	7620V	7640V	7660V	7680V	7700V	7720V	7740V	7760V	7780V	7800V	7820V	7840V	7860V	7880V	7900V	7920V	7940V	7960V	7980V	8000V	8020V	8040V	8060V	8080V	8100V	8120V	8140V	8160V	8180V	8200V	8220V	8240V	8260V	8280V	8300V	8320V	8340V	8360V	8380V	8400V	8420V	8440V	8460V	8480V	8500V	8520V	8540V	8560V	8580V	8600V	8620V	8640V	8660V	8680V	8700V	8720V	8740V	8760V	8780V	8800V	8820V	8840V	8860V	8880V	8900V	8920V	8940V	8960V	8980V	9000V	9020V	9040V	9060V	9080V	9100V	9120V	9140V	9160V	9180V	9200V	9220V	9240V	9260V	9280V	9300V	9320V	9340V	9360V	9380V	9400V	9420V	9440V	9460V	9480V	9500V	9520V	9540V	9560V	9580V	9600V	9620V	9640V	9660V	9680V	9700V	9720V	9740V	9760V	9780V	9800V	9820V	9840V	9860V	9880V	9900V	9920V	9940V	9960V	9980V	10000V

MODEL NO.	12V	24V	36V	48V	72V	100V	120V	140V	160V	180V	200V	220V	240V	260V	280V	300V	320V	340V	360V	380V	400V	420V	440V	460V	480V	500V	520V	540V	560V	580V	600V	620V	640V	660V	680V	700V	720V	740V	760V	780V	800V	820V	840V	860V	880V	900V	920V	940V	960V	980V	1000V	1020V	1040V	1060V	1080V	1100V	1120V	1140V	1160V	1180V	1200V	1220V	1240V	1260V	1280V	1300V	1320V	1340V	1360V	1380V	1400V	1420V	1440V	1460V	1480V	1500V	1520V	1540V	1560V	1580V	1600V	1620V	1640V	1660V	1680V	1700V	1720V	1740V	1760V	1780V	1800V	1820V	1840V	1860V	1880V	1900V	1920V	1940V	1960V	1980V	2000V	2020V	2040V	2060V	2080V	2100V	2120V	2140V	2160V	2180V	2200V	2220V	2240V	2260V	2280V	2300V	2320V	2340V	2360V	2380V	2400V	2420V	2440V	2460V	2480V	2500V	2520V	2540V	2560V	2580V	2600V	2620V	2640V	2660V	2680V	2700V	2720V	2740V	2760V	2780V	2800V	2820V	2840V	2860V	2880V	2900V	2920V	2940V	2960V	2980V	3000V	3020V	3040V	3060V	3080V	3100V	3120V	3140V	3160V	3180V	3200V	3220V	3240V	3260V	3280V	3300V	3320V	3340V	3360V	3380V	3400V	3420V	3440V	3460V	3480V	3500V	3520V	3540V	3560V	3580V	3600V	3620V	3640V	3660V	3680V	3700V	3720V	3740V	3760V	3780V	3800V	3820V	3840V	3860V	3880V	3900V	3920V	3940V	3960V	3980V	4000V	4020V	4040V	4060V	4080V	4100V	4120V	4140V	4160V	4180V	4200V	4220V	4240V	4260V	4280V	4300V	4320V	4340V	4360V	4380V	4400V	4420V	4440V	4460V	4480V	4500V	4520V	4540V	4560V	4580V	4600V	4620V	4640V	4660V	4680V	4700V	4720V	4740V	4760V	4780V	4800V	4820V	4840V	4860V	4880V	4900V	4920V	4940V	4960V	4980V	5000V	5020V	5040V	5060V	5080V	5100V	5120V	5140V	5160V	5180V	5200V	5220V	5240V	5260V	5280V	5300V	5320V	5340V	5360V	5380V	5400V	5420V	5440V	5460V	5480V	5500V	5520V	5540V	5560V	5580V	5600V	5620V	5640V	5660V	5680V	5700V	5720V	5740V	5760V	5780V	5800V	5820V	5840V	5860V	5880V	5900V	5920V	5940V	5960V	5980V	6000V	6020V	6040V	6060V	6080V	6100V	6120V	6140V	6160V	6180V	6200V	6220V	6240V	6260V	6280V	6300V	6320V	6340V	6360V	6380V	6400V

Aluminum wheelchair



◆ TAW908LJ

Aluminum chair frame, Solid castor, Flip-up desk armrest, Pneumatic rear wheel, Detachable footrest, With united brake.



◆ TAW908LQF19

Aluminum chair frame, Solid castor, Quick release pneumatic rear wheel, Angle-adjustable footplate, Right hand control rear wheel, Detachable footrest, Flip-up and height-adjustable inclined armrest.



◆ TAW908LAJPF21

Aluminum chair frame, Detachable footrest, Drop back handle, Pu rear wheel, Flip up armrest, With united brake.



◆ TAW206LAJ

Aluminum alloy material, light, easy to carry, foldable, linked brake rear wheel, liftable armrest, adjustable and removable legs



◆ TAW702LAJ

Aluminum alloy material, light weight, light weight, compact design, easy to carry, foldable, stable holding brake mechanism, detachable legs



◆ TAW977LF

Frame: Aluminum construction frame
Armrest: fixed with soft top
Legrest: flip up legrest

MODEL NO.	Ø60	GW	GW	SH								
TAW908LJ	100	99	58	59	64	20	38	46	100	16.3	132	80x28x81
TAW908LQF19	98	96	62	52	69	16	37	46	100	19.6	171	80x34x83
TAW908LAJPF21	103	89	60	46	63	16	39	46	100	16.1	131	78x29x71

MODEL NO.	Ø60	Ø60	Ø60	Ø60	Ø60	Ø60	Ø60	Ø60	Ø60	GW	GW	SH
TAW206LAJ	98	91	73/80	44.5	63	20/28	39.5	46	100	-	15	-
TAW702LAJ	90.5	97	73	43	63.5	20	38.5	44	100	-	13	-
TAW977LF	103	88	50	47	64	16	40	46	100	13	11	78.5x29x88



• TAW250LCPO

Aluminium chair frame. Flip-up and height-adjustable inclined armrest. Detachable elevating footrest. PU castors. Quick release PU rear wheel. Anti-tippers.



◆ TAW251LHPO

Aluminum chair frame, Locking drum brake,
Detachable footrest, Anti-tippers, Pu castor,
Angle-adjustable footplate,
Quick release pu rear wheel,
Flip-up and height-adjustable inclined armrest



● TAW869LJ

Aluminum light weight chair frame, Fixed armrest, fixed footrest, Solid castor, Pneumatic rear wheel, With united broke,



◆ TAW869LJX

Aluminum light weight chair frame, Fixed inclined armrest, fixed footrest, Solid castor, Pneumatic rear wheel, With united broke.



◆ TAW253LACHQ

Aluminum chair frame, Flip-up armrest,
Detachable footrest, Drop back handle,
Pu mag rear wheel.



• TAW869LABJX

Aluminum chair frame, Fixed recline armrest,
Fixed footrest, Solid castor, Pu mag wheel,
With united brake.



• TAW879LAJ

Aluminum light weight chair Frame, Fixed armrest
Flip up footrest, Solid castor, Pneumatic rear
Wheel, drop back handle, Locking united brake.



• TAW983U

Aluminum frame, Flip-up desk armrest,
Fixed footrest, Solid castor, Pneumatic rear wheel.

MODEL NO.	100	90	80	70	60	50	40	30	20	10	5	3	2	1
TAW250LCPQ	100	90	60	50	60	15	30	40	100	10.3	17	83x33x61		
TAW250LHQ	100	90	62	40	60	15	30	45	100	20.4	17.5	78x33x62		
TAW250LACHQ	100	95	61	50	64	15	42	40	100	20.7	19.1	85x35x78		
TAW250LABJX	103	88	60	51	65	17.5	37	40	100	14.9	12.5	102x25x89		

MODEL NO.	Ø1	Ø2	Ø3	Ø4	Ø5	Ø6	Ø7	Ø8	Ø9	Ø10	Ø11	Ø12	Ø13
TAWB60LJ	103	89	62	51	65.5	20	37	46	100	14.5	12.1	103x25x60	
TAWB60LJX	103	87	62	51	65	20	37	46	100	14.5	12.1	103x25x90	
TAWB75LJ	97	87	51	49	85	16	36	46	100	12.3	10.3	72x30x74	
TAWB75LJL	102	87	58	49	83	16	38	46	100	15.7	13.1	94x29x81	



• TAW874LJPF10

Aluminium chair frame. Fixed armrest, fixed footrest, Solid castor, pu rear wheel. With united brake.



◆TAW874LJPF7

Aluminum chair frame, Solid castor, Fixed armrest, Pu rear wheel, Fixed footrest, United brake.



• TAW863LAJPF4

Aluminum chair frame, Solid castor, Drop back handle, Pu rear wheel, Fixed armrest, With united broke, Flip up footrest.



◆ TAW863LAJPF8

Aluminum chair frame, Fixed armrest, Flip-up footrest, drop back handle, looking united broke, Solid castor, Pu rear wheel.



• TAW874LJF5

Alumirsum light weight chair frame, Solid castor, Fixed armrest, Pneumatic rear wheel, Fixed footrest, With united brake.



• TAW863LAJPF7

Aluminum light weight chair frame. Drop back handle, flip up armrest, Flip up footrest, Solid castor. Pu rear wheel, with united broke.



• TAW863LABJPF3

Aluminum light weight chair frame, Drop back handle, Fix pu armrest, Flip up footrest, Solid castor, Pu rear wheel, United broke,



• TAW863LABJPF9

Aluminum chair frame. Fixed armrest. Flip-up footrest. Drop back handle. Untied broke. Pu mag rear wheel. Solid castors.

MODEL NO.	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø
TAW874LJPF10	105	90	60	45	60	17.5	41	46	100	14	12.4	87x28x90
TAW874LJPF7	94	80	55	40	61	17.6	37	46	100	14.1	11.8	90x27x91
TAW874LJFS	102	87	62	49	64	17.5	36	46	100	14.5	12.5	92x26x91
TAW853LAJPF7	90	81	51	51	64	16	41	46	100	14.9	12.5	102x25x89

MODEL NO.	Ø6	Ø6	Ø6	Ø6	Ø6								
TAWB03LAJPV4	96	91	51	49	64	16	41	46	100	14.2	12	60x30x73	
TAWB03LAJPV8	96	91	51	51	66	49	41	46	100	13.0	11.7	60x30x74	
TAWB05LAJPV3	93	91	30	49	61	15	41	46	100	12.4	10.6	70x28x72	
TAWB05LAJPV9	93	91	30	49	61	15	41	46	100	12.8	10.6	70x28x74	



◆ TAW953LB

Aluminum frame, flip-up and Height-adjustable desk armrest, Detachable footrest, Solid castor, pneumatic mag Wheel, anti-tippers, Angle-adjustable footplate.



◆ TAW870LAJ

Aluminum light weight chair frame, Fixed armrest, fixed footrest, Solid castor, pneumatic rear wheel, Drop back handle, With united brake.



◆ TAW980LA-46

Aluminum chair frame, Solid castor, Flip-up armrest, Pneumatic rear wheel, Fixed footrest, Drop back handle.



◆ TAW957LQ

Aluminum chair frame, Quick release pneumatic rear wheel, Detachable footrest, Carrying wheel and anti-tippers, Solid castor, Angle-adjustable footplate, Flip-up and height-adjustable inclined armrest.



◆ TAW870LABJPF5

Aluminum chair frame, Pu mag rear wheel, Double cross bar, Solid castor, Fixed armrest, Drop back handle, Fixed footrest, United brake.



◆ TAW871LBJ

Aluminum light weight chair frame, Fixed armrest & footrest, Solid castor, pneumatic mag Rear wheel with united brake.



◆ TAW955L

Aluminum chair frame, Solid castor, Flip-up inclined armrest, Pneumatic rear wheel, Detachable footrest, Angle-adjustable footplate.



◆ TAW952LCQ

Aluminum frame, Elevating footrest, Flip-up and height adjustable armrest, Solid castor, Quick release pneumatic rear wheel, Anti-tippers.

MODEL NO.	Ø6	Ø6	Ø6	Ø6	□	Ø6	□	Ø6	Ø6	Ø6	GW.	GW.	SH.
TAW953LB	106	92	31	50	82	15	30	46	100	16.4	14.4	76x35x93	
TAW870LAJ	98	90	40	48	66	20	41	46	100	14.5	11.5	80x28x76	
TAW870LABJPF5	97	88	38	47	61	17.5	38	46	100	14.5	11	80x28x76	
TAW871LBJ	91	89	40	49	54	15	43	46	100	13.2	11	80x28x90	

MODEL NO.	Ø6	Ø6	Ø6	Ø6	□	Ø6	□	Ø6	Ø6	Ø6	GW.	GW.	SH.
TAW980LA-46	103	94	61	51	64	15	40	46	100	17.8	14.8	94x35x75	
TAW957LQ	105	89	61	51	63	15	38	46	100	19.4	17.4	83x28x91	
TAW955L	105	89	62	51	63	15	38	46	100	19.5	15.8	83x28x91	
TAW952LCQ	100	91	61	51	68	15	40	46	100	20.5	17.7	80x34x93	



◆ TAW950LBPQ

Aluminum chair frame, Solid castor, Quick release pu mag rear wheel, Anti-tippers, Detachable footrest, Angle-adjustable footplate, Flip-up and height adjustable armrest.



◆ TAW971LP

Aluminum chair frame, Fixed armrest, Detachable footrest, Solid castor, Pu rear wheel.



◆ TAW903LQ

Aluminum chair frame, Solid castor, Flip-up desk armrest, Quick release pneumatic rear wheel, Detachable footrest, Angle-adjustable footplate.



◆ TAW903LAJPQF9

Aluminum chair frame, Solid castor, Drop-back handle, Quick release pneumatic rear wheel, Flip-up armrest, With carrying wheel, Detachable footrest, With united brake.



◆ TAW959LQ

Aluminum chair frame, Quick release pneumatic rear wheel, Detachable footrest, Angle-adjustable footplate, Pu castor, Flip-up and height-adjustable inclined armrest, Anti-tippers.



◆ TAW907LABH

Aluminum chair frame, Pneumatic mag rear wheel, Flip-up desk armrest, Drop back handle, Detachable footrest, With drum brake, Solid castor,



◆ TAW872LAJ

Aluminum light weight chair frame, Fixed armrest, fixed footrest, Solid castor, Pneumatic Rear wheel, Drop back handle, Locking united brake.



◆ TAW873LABJP

Aluminum light weight chair frame, Fixed armrest, Fixed footrest, Solid castor, Pu mag rear wheel, Drop back handle, With united brake.

MODEL NO.	Ø60	Ø60	Ø60	Ø60	□60	Ø60	□60	mm	W	GW	W	GW
TAW950LBPQ	100	90	60	50	66	15	38	46	100	19.4	163	60x34x93
TAW971LP	101	88	61	40	67	20	40	46	100	16	14	84x26x91
TAW903LQ	105	89	62	50	64	15	38	46	100	19.3	161	83x21x90
TAW907LABH	94	92	40	51	62	15	41	46	100	15.5	131	78x28x78

MODEL NO.	Ø60	Ø60	Ø60	Ø60	□60	Ø60	□60	mm	W	GW	W	GW
TAW903LQ	100	90	62	52	66	15	38	46	100	15.8	14	83x29x91
TAW903LAJPQF9	104	92	56	47	67	15	44	46	100	16.7	14.7	80x36x73
TAW872LAJ	91	92	51	49	61	15	44	46	100	14	11.7	82x28x76
TAW873LABJP	86	94	30	51	58	15	41	46	100	13.3	10.6	74x28x75



• TAW878LAJ

Aluminum light weight chair frame, Fixed armrest, Flip up footrest, Solid castor, Pneumatic rear wheel, Drop back handle, Locking united brake.



◆ TAW864L

Aluminum light weight chair frame, Fixed armrest, fixed footrest, solid castor, Pneumatic rear wheel.



• TAW800LBJ

Transit wheelchair, Aluminum light weight chair frame, 6"solid mag rear wheel, 6"solid castor, Flip-up armrest, With united brake and seat belt.



◆ TAW803LB

Transit wheelchair, Aluminum light weight chair frame, 5" solid mag rear wheel, 4" solid castor, Flip-up armrest, With seat belt.



• TAW805LABJ

Aluminum light weight chair frame, Fixed armrest, Flip-up footrest, Solid castor, Pneumatic mag rear-wheel, Drop back handle, with united brake.



• TAW800LF2

Aluminum Frame, Flip-up armrest, Lip-up footrest, Light weight, Solid castor, PU real wheel, Easy to carry.



• TAW804LABJP

Transit wheelchair, Aluminum light weight chair frame, 8"pu mag rear wheel, 5"solid castor, Flip-up armrest and footrest, Drop back handle, With united brake and seat belt.



• TAW807LABP

Transit wheelchair. Aluminum light weight chair frame. 6" pu mag rear wheel, 5" solid castor. Flip-up armrest. With drop back handle and seat belt.

MODEL NO.	Ø1	Ø2	Ø3	Ø4	Ø5	Ø6	Ø7	Ø8	Ø9	Ø10	Ø11	Ø12	Ø13
TAWE7BLAJ	98	107	69	51	60	16	35	46	100	30.8	10.7	80x30x76	
TAW9564L	104	89	62	48	67	20	40	46	100	16	12.4	94x28x92	
TAW900LNBLJ	91	90	31	48	59	16	39	46	100	12.2	8.9	78x25x76	
TAW800LF2	-	90	20	47	50	13	-	38	100	8	7	51x25.5x76	

MODEL NO.	Ø6	Ø8	Ø10	Ø12	Ø14	Ø16	Ø18	Ø20	Ø22	Ø24	Ø26	Ø28	Ø30
TAW8001U	88	90	15	46	31	12.5	33	38	100	9.1	8.0	48x34x68	
TAW8031U	66	68	15	45	36	10	39	32	100	7.6	6	39x28x70	
TAW8041ABP	84	88	20	45	46	12.5	38	46	100	9.4	7.2	75x25x66	
TAW8071ABP	77	87	16	46	37	18	40	32	100	8.1	7	53x24x62	



◆ TAW205LQEF646

Seat depth can be adjusted
The armrest can be turned up and the height can be adjusted. Detachable foot dragging. Quickly remove the rear wheel.



◆ TAW976LAB

Aluminum chair frame,fixed armrest,
Detachable footrest, Solid castor,
Solid mag rear wheel, Drop back handle.



◆ TAW976LF2

Drop back handle, Detachable footrest, Fixed armrest, Solid front castor and rear wheels.
United brake, Aluminum frame.



◆ THE018LPQ

Aluminum chair frame,flip-up & height-adjustable inclined armrest,detachable footrest,adjustable angle footplate,pu castor,quick release pu rear wheel,with anti tippers.



◆ TAW976LABJF2-43

Aluminum light weight chair frame, Fixed armrest,
detachable footrest, Pneumatic rear mag, Solid castor, Pneumatic rear wheel, Dropback handle,
with united brake.



◆ TAW868L

Aluminum light weight chair frame, Fixed armrest,
Fixed footrest, Solid castor, Pneumatic rear wheel.



◆ TAW863LJF1

Frame: Aluminum construction frame
Armrest: Fixed armrest with soft sponge top
Legrest: Fixed legrest. Seat and backrest: 46cm seat width with soft cushion.fixed backrest.



◆ TAW863LJF2

Frame: Aluminum construction frame
Armrest: Fixed armrest with soft sponge top.
Legrest: Fixed legrest. Seat and backrest: 46cm seat width with soft cushion.Foldable backrest.

MODEL NO.	●	●	●	●	□	●	●	●	GW	GW	SH
TAW205LQEF646	107	100-110	60	50	85	15	50	46	100	17.2	9.2
TAW976LAB	96	101	20	52	60	20	40	46	100	12	10.6
TAW976LABJF2-43	-	93	30	49	55	20	-	43	100	13.8	12.3
TAW868L	95	87	58	45	81	16	38	46	100	20.7	10.7

MODEL NO.	●	●	●	●	□	●	●	●	GW	GW	SH
TAW976LF2	-	91	40	50	56	20	-	46	100	12	8.85x10
THE018LPQ	-	90	60	51	65	20	-	46	100	10.1	17.1
TAW863LJF1	91	86	53	49	58	20	39	46	100	11	9
TAW863LJF2	93	88	66	49	61	20	40	46	100	12	10.8



◆ TAW874LABJ

Frame: Aluminum construction liquid paint finished frame. Armrest: Flip up armrest with PU top. Legrest: Flip up legrest.



◆ TAW874LABJPM

Frame: Aluminum construction liquid paint finished frame. Armrest: Flip up armrest with PU top. Legrest: Flip up legrest, seat and backrest: 46cm seat width with nylon cushion.



◆ TAW874LAJP

Frame: Aluminum construction liquid paint finished frame. Armrest: Flip up armrest with PU top. Legrest: Flip up legrest. Seat and backrest: 46cm seat width with nylon cushion. foldable backrest.



◆ TAW976LF

Frame: Aluminum construction frame. Armrest: Fixed armrest with soft sponge top. Legrest: swing away and Detachable. Seat and backrest: 46cm seat width.



◆ TAW205LHQ

Aluminum chair frame, Quick release pneumatic rear wheel, Detachable footrest, Anti-tippers, solid castor, Angle-adjustable footplate, Locking drum brake, Flip-up and height-adjustable inclined armrest.



◆ TAW207LAPB

Aluminum chair frame, Flip up inclined armrest, Detachable footrest, Solid castor, Pu rear mag wheel, Drop back handle.



◆ TAW208LAPB

Aluminum chair frame, Flip-up armrest, Detachable footrest, Drop back handle, Pu mag rear wheel.



◆ TAW218LQ

Aluminum chair frame, Pu castor, Angle-adjustable footplate, With carrying wheel, Quick release pneumatic rear wheel, Detachable footrest, Flip-up and height-adjustable inclined armrest.

MODEL NO.	Ø6	Ø6	Ø6	Ø6	□	Ø6	□	Ø6	GW	GW	SH
TAW874LABJ	105	87	38	47	81	15	40	46	100	13.8	9.8
TAW874LABJPM	105	88	50	47	84	15	40	46	100	12	10.6
TAW874LAJP	105	88	50	47	83	15	40	46	100	13.7	11.7
TAW976LF	100	81	30	50	86	20	40	46	100	12	10

MODEL NO.	Ø6	Ø6	Ø6	Ø6	□	Ø6	□	Ø6	GW	GW	SH
TAW205LHQ	96	90	62	50	88	15	38	46	100	19.3	16.8
TAW207LAPB	101	89	58	50	82	15	39	46	100	14.9	12.9
TAW208LAPB	103	96	58	52	89	15	39	46	100	16	13.8
TAW218LQ	103	91	62	51	84	17.5	37	46	100	18	15.6

Steel wheelchair



◆ TSW809

Chromed steel frame, Fixed armrest, Fixed footrest, Solid castor, Solid rear wheel.



◆ TSW809B

Chromed steel frame, Fixed armrest, Fixed footrest, Solid castor, Solid mag rear wheel.



◆ TAW809F7

Chromed steel frame, Fixed armrest, Detachable footrest, Detachable backrest, Solid castor, Solid rear wheel.



◆ TSW802-35

Chromed steel frame, Fixed armrest, Fixed footrest, Solid castor, Solid rear wheel.



◆ TSW810Y

Chromed steel frame, Double cross bar, Fixed armrest, Fixed footrest, Solid castor, Solid rear wheel, Hard seat cushion.



◆ TSW863AJF1

Powder coating frame, fixed armrest, Flip-up footrest, solid castor, pneumatic rear wheel, Drop back handle, united brake.



◆ TSW863ABJ

Powder coating steel frame, double cross bar, Drop back handle, united brake, pneumatic mag rear wheel, Solid castor, fixed armrest, flip-up footrest.

MODEL NO.	○	○	○	○	□	○	□	mm	GW	FW	SH
TSW809	106	87	58	49	64	20	38	46	100	19	16.7
TSW809B	106	91	62	49	65	20	38	46	100	19.4	17.2
TAW809F7	106	87	58	49	64	20	40	46	100	17.5	16

MODEL NO.	○	○	○	○	□	○	□	mm	GW	FW	SH
TSW802-35	97	87	54	47	54	15	38	46	75	17	14.8
TSW810Y	105	89	58	50	66	20	38	46	100	22.2	19.7
TSW863AJF1	96	91	52	48	63	16	41	46	100	16.4	14.4
TSW863ABJ	96	91	50	48	63	18	41	46	100	14.4	13.1



◆ TSW868

Powder coating steel frame, Double cross bar, Fixed armrest, Fixed footrest, Solid castor, Solid rear wheel.



◆ TSW869X

Powder coating steel frame, Double cross bar, Fixed inclined armrest, Fixed footrest, Solid castor, Solid rear wheel.



◆ TSW875

Powder coating steel frame, Fixed armrest, Fixed footrest, Solid castor, Solid rear wheel.



◆ TSW901

Chromed steel frame, Detachable armrest, Detachable footrest, PU castor, Pneumatic rear wheel.



◆ TSW870ABJ

Chromed steel frame, Double cross bar, Drop back handle with united brake, Fixed armrest, Fixed footrest, Solid castor, Pneumatic mag rear wheel.



◆ TSW873

Chromed steel frame, Powder coating cross bar, Fixed armrest, Fixed footrest, Solid castor, Solid rear wheel.



◆ TSW901B

Powder coating steel frame, Detachable armrest, Detachable footrest, PU castor, Pneumatic mag rear wheel.



◆ TSW902C

Chromed steel frame, Detachable desk armrest, Elevating footrest, Tpr castor, Pneumatic rear wheel.

MODEL NO.	W	D	H	W	D	H	W	D	H	W	D	H	W	D	H	W	D	H
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
TSW868	97	87	99	46	61	20	38	46	100	17	10	93x28x89						
TSW869X	100	87	98	51	62	20	40	46	100	19	15.7	103x25x89						
TSW870ABJ	-	89	40	45	60	16	-	41	100	17.4	14.5	82x28x76						
TSW873	106	88	58	50	62	20	38	46	100	19	15.7	103x25x89						

MODEL NO.	W	D	H	W	D	H	W	D	H	W	D	H	W	D	H	W	D	H
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
TSW875	106	88.5	58	50	65	20	38	46	100	18.6	15.9	94x28x89						
TSW901	107	88	62	51	66	20	40	46	100	20.4	16.4	80x28x89						
TSW901B	107	89	61	50	64	20	40	46	100	21	18.5	80x28x89						
TSW902C	110	88	62	51	65	20	40	46	100	22	18.3	80x28x89						



• TSW874

Chromed steel frame, Double cross bar, Fixed armrest, Fixed footrest, Solid castor, Solid rear wheel.



◆ TSW874A

Chromed steel frame, Double cross bar, Drop back handle, Fixed armrest, Fixed footrest, Solid castor, Solid rear wheel.



• TSW904B

Powder coating steel frame, Detachable desk armrest, Detachable footrest, Solid castor, Pneumatic mag rear wheel.



◆ TSW907BC

Chromed steel frame, detachable desk armrest, Elevating footrest, solid castor, Pneumatic mag rear wheel.



◆ TSW874F5

Chromed steel frame, Fixed footrest, Double cross bar, Solid castor, Fixed armrest, Solid rear wheel.



• TSW903

Powder coating steel frame, Detachable armrest, Detachable footrest, Solid castor, Solid rear wheel.



• TSW908AQ

Chromed steel frame, Quick release pneumatic rear wheel, Flip-up armrest, Drop back handle, Detachable footrest, Solid castor.



• TSW909

Powder coating steel frame, Solid castors
Flip-up desk armrest, Solid rear wheel,
Detachable footrest.

MODEL NO.	ø6	ø6	ø6	ø6	ø6	ø6	ø6	ø6	ø6	ø6	ø6	ø6
TSW874	106	92	58	47	65	20	40	46	100	10.4	16.8	94x26x03
TSW874A	-	91	59	47	60	20	-	41	100	10.6	17.4	94x26x03
TSW874FB	103	88	58	48	64	17	37	46	100	17.8	19.3	92x26x03
TSW903	107	89	58	50	65	20	40	46	100	18.5	17.9	80x28x03

MODEL NO.	Ø6	Ø8	Ø10	Ø12	Ø14	Ø16	Ø18	Ø20	Ø22	Ø24	Ø26	Ø28	Ø30
T5W9048	94	88	32	50	62	30	40	46	100	16.4	14.3	75x25x98	
T5W907BC	97	88	40	60	66	30	40	41	100	16.3	16.1	73x26x99	
T5W908AQ	106	98	61.5	51	64	16	42	46	100	16.6	15.8	80x28x78	
T5W909	105	80	58	48	62	20	40	46	100	19.4	17	82x28x95	



◆ TSW909B

Powder coating steel frame, Solid castor, Flip-up armrest, Solid mag rear wheel, Detachable footrest.



◆ TSW972BF2

Powder coating steel frame, detachable armrest, Detachable & length-adjustable footrest, Solid castor, solid mag wheel,



◆ TSW951B-56

Powder coating steel frame, Detachable footrest, 22" seat width, Rubber foam castor, Flip-up armrest, Pneumatic mag rear wheel.



◆ TSW975-51

Chromed steel frame, 20" seat width, Detachable armrest, Detachable footrest, solid castor, Pneumatic rear wheel.



◆ TSW972

Chromed steel frame, Fixed armrest, Detachable footrest, solid castor, solid rear wheel.



◆ TSW972B

Powder coating steel frame, Fixed armrest, detachable footrest, Solid castor, Solid mag rear wheel.



◆ TSW976ABJ-43

Chromed steel frame, Fixed armrest, Detachable footrest, Drop back handle with united brake, solid wheel.



◆ TSW209AE-61

Powder coating steel frame, Detachable push bar, Detachable desk armrest, solid castor, Detachable footrest, Pneumatic rear wheel, 24" seat width, Drop back handle.

MODEL NO.	Ø6	Ø6	Ø6	Ø6	□	Ø6	□	Ø6	Ø6	GW	GW	SH
TSW909B	107	93	62	49	62	20	40	46	100	20.5	18.2	80x38x95
TSW972BF2	-	91.5	62	49	67	20	-	46	100	21.2	19	82x31x93
TSW972	107	89	58	48	63	20	40	46	100	19.2	17	80x23x89
TSW972B	107	89	62	49	63	20	40	46	100	20	17.8	80x25x91

MODEL NO.	Ø6	Ø6	Ø6	Ø6	□	Ø6	□	Ø6	Ø6	GW	GW	SH
TSW951B-56	10	93	62	54	73	20	41	56	105	24.1	21	83x33x93
TSW975-51	105	91	62	50	73	20	40	51	126	21.3	19.7	80x26x93
TSW976ABJ-43	97	91	20	50	56	20	42	43	100	16.1	12.9	74x26x79
TSW209AE-61	11	82	62	52	81	20	41	61	125	24.5	22	88x33x83

Leisure & Sports wheelchair



• TLS731LQ-36



• TLS720LQ-36



• TLS721LQ-36



• TLS722LQ-36



• TLS723LQ-36



• TLS723LQF14-38



• TLS727LQ-36

MODEL NO.	Ø60	Ø60	Ø60	Ø60	□60	Ø60	□60	mm	GW	GW	mm	
TLS731LQ-36	86	86	86	82	86	10	34	38	100	12	102	76x82x83
TLS720LQ-36	83	72	60	48	59	20	29	38	100	13	83	87x86x73
TLS721LQ-36	83	72	60	48	58	10	28	38	100	13.6	78	87x86x73

MODEL NO.	Ø60	Ø60	Ø60	Ø60	□60	Ø60	□60	mm	GW	GW	mm	
TLS723LQ-36	84	87	60	48	57	10	28	38	100	13.6	86	88x86x76
TLS723LQ-36	83	76	60	48	56	10	32	36	100	11	8	87x86x76
TLS723LQF14-38	85	80	60	50	53	10	28	38	100	14.5	12.5	86x80x83
TLS727LQ-36	83	76	60	48	52	10	30	38	100	13.6	10.6	87x86x80



• TLS727LQF1-36



• TLS730LQ-36



• THE736LQ-36



• TLS737LQ-36



• TLS732LQ-36



• TLS734LQ-36



• TLS725LQ



• TLS723LQF1-36

MODEL NO.	W	B	D	H	SW	SH	SW	SH	W	D	H	SW	SH	SW	SH
TLS727LQF1-36	38	84	60	40	55	18	31	36	100	13	10.3	82x34x94			
TLS730LQ-36	65	78	60	40	67	10	33	36	100	18	9.5	76x62x60			
TLS732LQ-36	66	76	60	50	58	10	33	36	100	12	9.3	76x62x60			
TLS734LQ-36	60	78	60	51	59	10	32	38	100	15.9	12.6	76x60x60			

MODEL NO.	W	B	D	H	SW	SH	SW	SH	W	D	H	SW	SH	SW	SH
THE736LQ-36	66	82	60	52	52	10	32	38	100	16	13.4	88x38x67			
TLS737LQ-36	66	79	60	47	64	10	36	36	100	14	10.5	84x61x70			
TLS725LQ	-	80	34"	32	58	4"	-	36/41	100	10.5	9.5	101.5x29x63			



● **TLS777LQ-36**

Basketball center



● **TLS710L-30**

Speed king



● **TLS778LQ-36**

Basketball forward



● **TLS779LQ-36**

Basketball guard



● **TLS723LQF15**



● **TLS730LQF10-36**



• **TLS735LQ-36**

Pool wheelchair



• **TLS755LQ-36**

Dancing



• **TLS770LQ-32**

Rugby offensive



• **TLS771LQ-32**

Rugby defensive



• **TLS756LQ-36**

Ping pong



• **TLS766LQ-36**

Fencing



• **TLS785LQ-36**

Tennis



• **TLS786LQ-36**

Badminton

Reclining wheelchair



• TRW954LGCJF4

Aluminum chair frame, Reclining high back, Adjustable and detachable headrest, Flip-up and detachable armrest, Elevating footrest, Solid castor, Pneumatic rear wheel, Plastic hand rim, With united broke.



A standard manual wheelchair with a plaid fabric backrest.

• TRW954LGC

Aluminum chair frame, Reclining high back,
Adjustable and detachable headrest,
Detachable armrest, Elevating footrest,
Solid castor, Pneumatic rear wheel,
Plastic hand rim.

MODEL NO.	Ø	Ø	Ø	Ø	¶	Ø	¶	mm	GW	NW	SH
TRW054LOCJF4	-	33	58	48	86	75	-	46	100	22.7	19
TRW954LOC	-	98	62	51	86	20	-	46	100	29	39.3
TRW2038U	-	98	38	58	0	20	-	46	160	41.5	38



◆TRW203BJ

Powder coating steel frame, Reclining height back, Adjustable and detachable headrest, Tilting seat, Height adjustable armrest, Elevating footrest, Tpr castor, Pneumatic mag rear wheel, United brake. Optional accessories: neck cushion.



• TRW212BCEG

Chrome steel frame, reclining high back, flip-up desk armrest, elevating footrest, solid castor, pneumatic mag rear wheel, detachable push bar.



THE204L

Aluminum chair frame, Comfortable ergonomic seat, Detachable and height, Adjustable armrest, Detachable elevating footrest, Solid castor, Pneumatic rear wheel.



◆ TRW902GC-46

Powder coating steel frame, Reclining high back, Movable armrest, Elevating footrest, Solid castor, solid rear wheel.



THE004LBCGJP

Aluminum chair frame, reclining high back, Adjustable and detachable head rest, Flip-up and detachable armrest, Height adjustable armrest pad, Elevating footrest, Solid castor, Pu mag wheel.

MODEL NO.	Ø	Ø	Ø	Ø	¶	Ø	¶	¶	mm	W	W	mm
TRW928C10	-	90	40	40	55	16	-	415	100	26	24.8	86x66x107
TRW920DC-46	-	119	58	50	65	20	-	46	100	26.5	23.5	96x34x92
THE2041	-	109-125	62	58	66.5	20	-	46	100	215	19.2	85x38x77
THE2041SCUP	-	129	61	62.5	67	20	-	47	100	24.3	22.3	90x36x98

Children's Wheelchair Series



◆ TRW958LBCGPY

Aluminum chair frame,
Reclining high back, adjustable headrest,
Detachable armrest, elevating footrest,
Solid castor,
PU mag rear wheel,
Tilting seat, safety belt.



◆ TRW258LBGPY

Aluminum chair frame,
Reclining high back,
Detachable seat and back,
Solid castor,
PU mag rear wheel,
Safety belt, tilting seat.



◆ TRW980LQF8

Aluminum pediatric wheelchair, Solid castor,
Flip-up armrest, Adjustable seat size,
Quick release pneumatic rear wheel
Fixed footrest, height adjustable footplate.



◆ TRW958LBPYF8

Aluminum pediatric wheelchair,
Tiltable seat, push handle, Reclining back, PU
wheels, Adjustable seat size and seat height
Height adjustable footrest & adjustable headrest.
Moveable armrest, optional accessories:food table



◆ TRW985LBGY

Aluminum chair frame, adjustable headrest, de-
tachable armrest, fixed footrest, solid castor,
pneumatic mag rear wheel, tilting seat, safety
belt, optional accessories: food table.



◆ TSW909P-31

Powder coating steel frame, double cross bar,
Flip-up armrest, detachable footrest, solid
castor, pu rear wheel.

MODEL NO	106	102~108	38	48	52	16	41	38~44	26	24.3	31	77X40X90
TRW958LBCGPY	106	102~108	38	48	52	16	41	38~44	26	24.3	31	77X40X90
TRW258LBGPY	94	103	30	49	42	16	59	30	26	20.7	17.4	80X40X90

MODEL NO	74	87~92	52	50~56	50~60	10	33	25~32	75	17.4	14.4	78X38X80
TRW980LQF8	74	87~92	52	50~56	50~60	10	33	25~32	75	17.4	14.4	78X38X80
TRW958LBPYF8	75	98~100	30	38~46	52	16	32	25~32	35	27	24	86X53X45
TRW985LBGY	99	97~100	40	50	52	16	41	38~44	75	17.8	21	84X40X90
TSW909P-31	80	88	52	46	47	16	40	31	76	18.6	13.5	70X28X90



◆ TAW863LAJPF1-30

Aluminum chair frame, pediatric wheelchair, drop back handle, fixed armrest, fixed footrest, solid castor, PU mag rear wheel, with united brake and seat belt.



◆ TAW980LQF3-30

Aluminum pediatric wheelchair, Detachable footrest, solid castor, Quick release pneumatic rear wheel, Flip-up and height-adjustable armrest.



◆ TAW874LAJ-30

Aluminum chair frame, pediatric wheelchair, fixed armrest, fixed footrest, solid castor, pneumatic rear wheel, drop back handle, with united brake.



◆ TAW974LA-35

Aluminum chair frame, pediatric wheelchair, fixed armrest, detachable footrest, drop-back handle, pneumatic rear wheel, solid castor, anti-tippers.



◆ TAW980LA-35

Aluminum chair frame, pediatric wheelchair, flip-up armrest, fixed footrest, solid castor, pneumatic rear wheel, drop back handle.



◆ TAW980LA-30

Aluminum pediatric wheelchair, solid castor, flip-up armrest, pneumatic rear wheel, fixed footrest, drop back handle.



◆ TEW121LF1K

Aluminum chair frame, power pediatric wheelchair, adjustable pu armrest, adjustable seat width, reclining high back, lithium battery, rubber foam drive wheel.



◆ TEW002LAS-35

CHILDREN TYPE ELECTRIC WHEELCHAIR ALUMINUM CHAIR FRAME Motor: DC 250W *2Pcs (made in china)

Battery: 24V 12AH lead-acid battery

Controller: Domestic controller brand WITH ELECTROMAGNETIC BRAKE.

MODEL NO	20	20	20	20	20	20	20	20	20	GW	GW	GW
TAW863LAJPF1-30	85	86	51	48	50	16	40	30	75	12.6	11.2	80X30X66
TAW980LQF3-30	85	86	52	52	46	16	32	30	75	10.5	12.5	74X33X99
TAW874LAJ-30	85	86	53	44	51	15	40	30	75	14.4	11.4	74X33X99
TAW974LA-35	93	87	53	42	55	10	37	35	100	10	13.8	60X33X66

MODEL NO	20	20	20	20	20	20	20	20	20	GW	GW	GW
TAW980LA-35	94	93	58	48	52	16	41	35	75	15.5	13	85X33X73
TAW980LA-30	92	92	53	50	45	16	41	30	75	15	12.1	83X33X73
TEW121LF1K	95	96	32	52	58	20	40	38	75	48.9	40	66X58X75
TEW002LAS-35	101.0	92.5	40	48	52	20	48	35	100	43	29.7	88X44X92





◆ TCM-01S

Lifting mode: foot lifting. Material: 304 stainless steel. Wheels: medical mute wheels. Pipe thickness: 1.8mm. Product dimension: length (l) 1800mm, width (w) 600mm, height (H) 890-1090mm. Brake type: foot braking.



◆ TCM609U

Foldable chromed steel frame,
U shape commode seat,
Fixed armrest and footrest,
Solid castor,
Rear wheel.



◆ TCM-01A

Multifunctional moving chair assisting the mobility-impaired in moving from wheelchair to sofas, beds, toilets, seats, etc., easy to go to the toilet, bath, treatment, etc. Waterproof design for bathing adjustable height for a wide range of body types.



◆ TCM-01B

Lifting mode: electric lift. Product materials: Main shaft: 304 chrome plated steel pillar. Wheels: medical mute wheels. Handshake: eco friendly rubber. Main frame: 2.0 electrophoresis steel pillar. Back rest: pu/ foam molding. Seat plate: face cover obs/ bottom 2.0 electrophoresis steel plate. Brake type: foot braking.



◆ TCM-01H

Lifting mode: electric lifting. Material: the whole frame is made of 2.0 thick steel pipe. Wheels: medical mute wheels. Pipe thickness: 2.0mm. Brake type: foot braking. Battery: 24V 7.6ah (about 30 times of rising and falling theory under load).



◆ TCM-01D

Lifting mode: manual lifting. Product materials: Iron. Wheels: medical mute wheels. Back rest: pu/ foam molding. Product dimension: length (l) 710mm, width (w) 720mm, height (H) 815-1015mm. Brake type: foot braking.

MODEL NO	60	66	66	66	66	66	66	66	66	66	66	66	66	66	66	66
TCM-01S	60	89-109	10	40-66	80	16	46-66	46	160	365	326	60X45X83				
TCM609U	106	87	58	50	64	20	37	44	100	213	19	92X20X88				

MODEL NO	70	94	10	47-67	47	18	42-80	46	120	23	18	72X58X93.5				
TCM-01A	70	94	10	47-67	47	18	42-80	46	120	23	18	72X58X93.5				
TCM-01H	80	102-106	10	40-67	60	18	40-87	43	100	30	27.6	00X00X00				
TCM-01B	71	102-106	6	44-62	54.5	12	44-62	42.5	120	32	30	73X56X97				
TCM-01D	72	103-106	10	40-60	71	18	40-60	46	120	25	23	60X33X73.5				



TCM-01F

Pipe material: carbon structural steel (Q235).
Seat plate material: Rubber, 4000mA lithium battery, which can be lifted and lowered about 500 times. Charging time: 8 hours



TCM609GCUF1

Foldable chromed steel frame, u shape commode seat, reclining high back, detachable armrest and, elevating footrest, solid castor and rear wheel with united brake.



TCM609GCU

Foldable chromed steel frame, u shape commode seat, reclining high back, detachable armrest and, elevating footrest, solid castor and rear wheel.



● TCM6091

Foldable chromed steel frame, u shape commode seat, fixed armrest, detachable footrest, solid castor and rear wheel, detachable handle.



TCM609BU

Foldable powder coating steel frame, u shape commode seat, fixed armrest and footrest, solid castor and solid, mag rear wheel.



TCM609LU

Foldable aluminum chair frame, upholstered commode seat, fixed armrest and footrest, solid castor, pneumatic rear wheel.



TCM609LBU-52

Aluminum chair frame, fixed footrest fixed armrest, 22" u shape commode seat, pneumatic mag rear wheel, pu castor.

MODEL NO.	200	200	200	200	200	200	200	200	200	200	200	200
TCM-DF	725	98-123	6	40-85	51.8	12	00	45	100	20	37	05K04X29
TCM-DSE(BI)	80	89-100	10	46-86	87	16	00	51	150	35.5	32.5	60K45X03
TCM8090CUF	00	129	58	53	64	20	00	30	75	29.1	26.1	107K33X7B
TCM8090CU	00	129	58	53	64	20	00	35	100	29.3	25.6	107K33X7B

MODEL NO.	200	200	200	200	200	200	200	200	200	200	200	200
TCM809R	00	80	58	51	88.5	10	00	46	100	212	10.2	79029X78.5
TCM809LU	00	80	63	51	88.5	10	00	46	100	18.9	15.2	84X29X92
TCM809BU	00	80	50	51	84	20	00	44	100	213	19	92X29X89
TCM809BLU-12	00	81	40	48	64	20	00	63	100	16	14	80X40X93



◆ TCM609LUF4

Aluminum chair frame, detachable footrest, adjustable seat height, solid front castor with brake, Adjustable backrest height, solid rear wheel, flip up armrest.



◆ TCM693

Powder coating steel frame, fixed armrest, foldable footrest. Rear castor with lock, plastic commode seat.



◆ TCM654LGCU

Aluminum chair frame, detachable armrest, detachable elevating footrest, u shape commode seat, pneumatic rear wheel, solid castor. E seat, pneumatic rear wheel, solid castor.



◆ TCM683L

Aluminum chair frame, pu commode seat, flip-up desk armrest, detachable footrest, solid castor, pneumatic rear wheel.



◆ TCM681

Foldable chromed steel frame, plastic commode seat, flip-up armrest and detachable footrest, solid castor and solid rear wheel.



◆ TCM697S-1

Stainless steel frame, flip up armrest, Pedal locking castors.



◆ TCM697S

Stainless steel chair frame, pu commode seat, flip down armrest, detachable footrest, pedal locking castors.



◆ TCM6971S

Stainless steel frame, detachable footrest, foldable chair frame, solid castor with brake, flip-up armrest, solid mag rear wheel.

MODEL NO	●	●	●	●	□	●	●	●	●	GW	NW	SH
TCM609LUF4	00	82	175	50	59	10	00	42	100	14.8	12.7	67X66X66
TCM693	00	83	125	47	55	12.5	00	44	100	11.7	10.5	50X50X66
TCM654LGCU	00	128	61	50	67	20	00	46	100	23.5	21.5	97X40X86
TCM683L	00	93	58	48	61	15	00	46	100	17.4	15	80X35X71

MODEL NO	●	●	●	●	□	●	●	●	●	GW	NW	SH
TCM681	00	80	58	53	50	10	00	45	100	21.4	18.6	75X28X66
TCM697S-1	00	96.5	12.5	51	54	12.5	00	44	100	13.8	12.3	66X50X66
TCM697S	00	96.5	12.5	51	54	12.5	00	44	100	13.8	12.3	54X52.5X66
TCM6971S	00	94	60	52	63	12.5	00	41	100	19	16.8	80X35X100



TCM696

Steel frame.



TCM696L



TCM698L-A

Aluminum commode chair,
Detachable frame and footrest.



TCM698L

Aluminium chair frame, flip up footrest
Lockable castors.



TCM691S

Stainless steel chair frame.
Detachable armrest and footrest, rear castor with lock, plastic commode seat.



TCM6952L

Aluminum chair frame, detachable footrest, adjustable headrest, tilting seat, flip-up armrest, solid castors with brake.



• TCM6091

Foldable chromed steel frame, u shape commode seat, fixed armrest, detachable footrest, solid castor and rear wheel, detachable handle.



TCM6951S

Stainless steel frame, foldable footrest, lockable castors, flip-up armrest.

MODEL NO.	20	20	20	20	20	20	20	20	20	20	20	20
TCM89G	00	78-88	75	45-58	55	75	00	44	100	8.2	7	60X20X78
TCM89GL	00	78-88	00	45-58	55	00	00	45	00	6.5	5.2	60X22X82
TCM89IS	00	88	125	51	55	125	00	44	100	12.7	10.6	54X53X66
TCM89ISL	00	105-132	15	50	88	15	00	46	100	16.4	14.4	66X30X70

MODEL NO.	Ø1	Ø2	Ø3	Ø4	Ø5	Ø6	Ø7	Ø8	Ø9	GW	NW	SH
TCM608L-A	00	89	20	50	50	16	00	49	100	13	10.86	64X33X52
TCM608L	00	89	12.5	46	56	12.5	00	45	100	10	9.2	48X24X57
TCM609I	00	90	58	51	68.5	16	00	46	100	212	19.2	79X29X78.5
TCM609IS	00	93	60	50	58	20	00	41	100	14	12.2	60X55X55



◆TCM6992L

Aluminum chair frame,pu commode seat,pedal locking rear castors,fixed armrest, foldable footrest.



◆TCM694S

Stainless steel frame,Pu armrest, solid castor, rear wheel with lock,plastic commode seat, length adjustable footrest.



◆TCM695S

Stainless steel chair frame,
flip down armrest,pedal lockingrear castors,
Pu commode seat with cover.



◆TCM699L

Aluminum chair frame,fixed armrest, foldable footrest, solid rear castor with lock,plastic com- mode seat.



◆TCM7964L-W5

Aluminum chair frame,flip-up armrest, flip up footrest,solid castor, solid rear wheel with brake.



◆TCM692L

Aluminum chair frame,flip-up armrest, detach- able footrest, rear wheel with lock, pu commode seat.



◆TCM893



◆TCM893L

MODEL NO	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●
TCM8992L	00	97	95	58	55	125	00	44	100	9.7	8.4	88X63X54			
TCM694S	00	84	125	52	54	125	00	44	100	11.6	9.4	54X53X56			
TCM695S	00	97	125	50	54	125	00	44	100	14.4	12.2	60X55X55			
TCM699L	00	82	75	48	55	75	00	45	100	9.6	8	56X56X72			

MODEL NO	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●	●●
TCM7964L-W5	-	57	53	88	-	-	-	-	-	-	-	71	8.8	107X32X57	
TCM692L	-	55	54	92	-	-	-	-	-	-	-	9	10.0	86X33X57	
TCM893	56	44	47	94	43	38	1	7.2	8.5	50X19X75					
TCM893L	56	44	47	94	43	38	00	8.3	6.4	50X39X75					



◆TCM8832U



◆TCM894L



◆TCM8945



◆TCM895L



◆TCM8941



◆TCM811



◆TCM8951L



◆TCM898

MODEL NO.	寸	月	角	角	品	型	PCS	ON	尺寸	GW	寸
TCM8832U	52	45	48	85	44	38	1	8.8	8.8	88X68X62	
TCM894L	48	45	45-55	76-80	43	33	1	3.6	5	60X33X76	
TCM8941	46	41	40-55	61-76	40	23	1	6.4	7.5	60X25.5X66	
TCM811	50	49	50-60	80-90	40	33	2	10	10.8	70X32X66	

MODEL NO.	寸	月	角	角	品	型	PCS	ON	尺寸	GW	寸
TCM8945	68	45.5	31-40.5	58-64.5	45	28	2	12.6	14.8	80X48X62	
TCM8954	61	40	42-52	70-81	43	20	2	9.2	10.6	60X34X62	
TCM8951L	43	40	40-50	62-72	41	-	1	2.6	3.6	45X18X63	
TCM898	40	38	40	40	-	-	0	9.8	10.8	76X30X40	



◆TCM899



◆TCM899U



◆TCM8997



◆TCM899-A



◆TCM8992



◆TCM8992L



◆TCM8995L



◆TCM897

MODEL NO.	寸	月	角	角	品	型	P.C.S	ON	坐	G.W	(kg)	寸
TCM899	48	43	44	78	40	36	4	16.7	16.7	78X43X56		
TCM899U	48	43	44	78	40	36	4	43	16.8	78X43X56		
TCM8992	60	48	46	82	41	40	2	12.8	14.2	88X30X60		
TCM8992L	60	48	46	82	41	40	2	8.8	7.6	88X30X60		

MODEL NO.	寸	月	角	角	品	型	P.C.S	ON	坐	G.W	(kg)	寸
TCM8997	47	48	43-53	81-91	43	42	2	16.6	17.4	80X62X83		
TCM899-A	48	43	44	78	40	36	4	90.7	16.7	78X43X55		
TCM8995L	59	49	46-51	85-90	44	40	3	8.8	11.5	102X30X62		
TCM897	40	38	49	40	-	-	4	10.3	9.2	62X30X42		



◆TCM897A



◆TCM8941



◆TCM810



◆TCM896



◆TCM894



◆TCM8943



◆TCM8964



◆TCM8962

MODEL NO.	寸	月	角	角	品	型	PCS	ON	支	GW	kg	寸
TCM897A	41	38	46	40	-	-	2	16.7	16.7	63X26X43		
TCM8940	46	41	40-55	51-76	40	23	1	6.4	7.9	50X29.5X66		
TCM894	48	45	44-49	70-88	43	33	1	6	7	50X29X76		
TCM8943	60	49	47	87	41	19	1	6.3	0.3	46X30X50		

MODEL NO.	寸	月	角	角	品	型	PCS	ON	支	GW	kg	寸
TCM810	58	46	41-51	74-84	40	33	2	12.1	13	80X32X48		
TCM896	52	44	46-55	77-87	43	32	1	6.2	7.7	52X23X79		
TCM8964	52	44	49-55	78-87	43	42	1	6.2	7.7	52X23X79		
TCM8962	51	40	44-50	76-92	42	33	1	6.8	8	50X23X78.5		



◆TCM813S



◆TCM8133



◆TCM883L



◆TCM8951L



◆TCM813L



◆TCM7992L



◆TCM890



◆TCM8101

MODEL NO.	尺	吋	寬	吋	深	吋	高	吋	PCS IN	PCS OUT	GW KG	WD MM
TCM813S	42	35	29-38.5	51-68.5	37	23	1	49	5.6	46X38X30		
TCM8133	56	44	47	85	43	38	1	72	8.5	50X48X76		
TCM883L	56	49	39-48	64-74	44	25	2	42	5.7	58X58X37		
TCM7992	51	44	48-58	90-90	47	38	2	101	12	62X62X88		

MODEL NO.	尺	吋	寬	吋	深	吋	高	吋	PCS IN	PCS OUT	GW KG	WD MM
TCM883L	52	49	46	90	43	44	1	72	8.4	48X22X83		
TCM8951L	43	40	40-50	62-72	41	-	1	26	3.6	45X48X63		
TCM890	45	43	42	77	40	28	2	9	8.9	63X32X44		
TCM8101	46	44	48-58	60-75	37	18	2	18	12.5	46X22X70		

Bath chair series



◆ TBB790



◆ TBB790B



◆ TBB798L



◆ TBB7981L



◆ TBB7991L



◆ TBB568S



◆ TBB7982L



◆ TBB7984LA

MODEL NO.	寸	月	角	用	品	四	PCS ON	支	Q.W kg	寸
TBB790	39	61	47	62	30	-	2	6.4	72	74X19X52
TBB790B	41	60	47	80	30	32	2	7.0	8.0	80X22X61
TBB7981L	51	64	48-59	84-94	42	38	2	13	15	70X48X52
TBB568S	27	41	14	23	41	-	2	3.2	3.7	46X27X19

MODEL NO.	寸	月	角	用	品	四	PCS ON	支	Q.W kg	寸
TBB798L	42	60	35-45	78-84	30	40	2	5.9	71	88X19X39
TBB7991L	42	60	42-52	76-85	30	40	2	8	7	63X23X40
TBB7982L	42	60	35-45	74-84	30	40	2	6	7	88X19X39
TBB7984LA	46	42	43-53	80-90	40	37	1	3.8	4.7	50X40X45



◆TBB7985L



◆TBB7986L



◆TBB796L



◆TBB7960LA



◆TBB7987L



◆TBB7985LA



◆TBB7961L



◆TBB7962L

MODEL NO.	寸	月	角	角	品	型	PCS ON WHEEL	支	GW (kg)	寸
TBB7985L	54	53	41~54	72~85	37~40	35	2	7.6	8.2	56X52X46
TBB7986L	37.5	38.7	30~40	60~70	27	31.2	2	4.6	6.6	53X53X40
TBB7987L	42	50	35~45	70~84	30	40	2	5.9	7.1	60X59X39
TBB7985LA	51	53	41~54	72~85	37~40	35	2	7.6	8.2	56X52X46

MODEL NO.	寸	月	角	角	品	型	PCS ON WHEEL	支	GW (kg)	寸
TBB7985L	51	41	34~44	73~83	37	41	2	6.6	7.6	53X52X26
TBB7960LA	41	51	-	74~82	34	-	1	3.6	4	51X51X27
TBB796L	51	41	34~44	73~83	37	41	2	7.4	8.8	58X49X75
TBB7962L	70	44	48	88	30	37	1	5.9	7	67X60X53



◆TBB7963L



◆TBB7964L-W3



◆TBB7972L



◆TBB7973L



◆TBB797L



◆TBB7971L



◆TBB7931



◆TBB7933S

MODEL NO.	寸	月	角	用	品	型	PCS	W	G.W	寸
TBB7963L	43	50	44-47.5	47-50.5	30	-	1	2.4	2.7	50X30X39
TBB7964L-W3	63	48	51	85	38	36	1	4.7	6.9	104X24X62
TBB797L	42	50	35-45	39-49	30	-	2	3.6	4.4	60X37X37
TBB7971L	42	50	42-52	45-55	30	-	1	2.6	3.7	50X43X45

MODEL NO.	寸	月	角	用	品	型	PCS	W	G.W	寸
TBB7972L	94	32.5	38-50	38-55	32.5	-	2	31	38	35X35X39
TBB7973L	42	50	35-45	39-49	30	-	2	36	4.4	60X37X36.5
TBB7931	31	66	9.5	13.5	31	-	1	28	33	32X7X15
TBB7933S	36	84-130	-	41	26	33	2	72	82	74X42X27



◆TBB792



◆TBB7921L



◆TBB569S



◆TBB7954



◆TBB791S



◆TBB793S



◆TBB794L



◆TBB799L

MODEL NO.	尺 寸	月 量	角 度	用 品	型 式	PCS ON WHEEL	重 量 KG	規 格
TBB792	50	40	49~50	82~91	37	37	8.5	10.8 70050X415
TBB7921L	38	40	51~63	89~91	32.8	-	2	8.4 66X41X78
TBB791S	41	51	39~49	70~86	37	37	2	8.5 70X50X415
TBB793S	50	51	-	52	37	37	2	8.8 77X50X39.5

MODEL NO.	尺 寸	月 量	角 度	用 品	型 式	PCS ON WHEEL	重 量 KG	規 格
TBB569S	61	41	14~20	29	23	-	2	8.4 80X42X46
TBB7954	42	38	40~50	40~50	38	-	2	8.1 67.5X39X25
TBB794L	23	41	-	18	23	-	6	8.1 83X25X40
TBB799L	46	72	43~53	80~90	40	37	2	9.3 77X22X45

Walking aids series



◆ TWA913L



◆ TWA913L



◆ TWA9133L



◆ TWA9134L



◆ THE965L



◆ TWA965LH



◆ TWA965LH-1



◆ TWA965LH-A

MODEL NO.	寸	吋	寸	吋	PCS ON	kg kg	G.W. kg	寸 寸
TWA913L	47	46	-	78-96	2	4.8	6.7	53X7X8I
TWA913L	47	46	-	78-96	2	2.6	9.2	60X17X8I
TWA9133L	47	48	-	78-96	2	4.8	6.7	53X17X8I
TWA9134L	47	46	-	78-96	2	4.8	6.7	53X17X8I

MODEL NO.	寸	吋	寸	吋	PCS ON	kg kg	G.W. kg	寸 寸	
THE965L	-	-	44	58	82-101	-	8.1	8.5	58X33X83
TWA965LH	-	-	44	47	71-82	-	7	8.5	60X22X77
TWA965LH-1	68	46	53	78-90	1	7.4	9	62X24X84	
TWA965LH-A	68	46	53	78-90	1	7.5	9.1	60X23X85	



◆TWA9650LH



◆TWA965LH-B



◆TWA966LH



◆TWA966LH-B



◆TWA965LHF1



◆TWA965LHF6



◆TWA14H-1



◆TWA9622

MODEL NO.	月	月	月	月	POS ON	坐 姿	GW (kg)	寸 寸
TWA9650LH	78	46	53	78-90	1	8.8	10.4	60X23X86
TWA965LH-B	78	46	53	78-90	1	8.8	10.4	60X23X86
TWA965LHF1	78	40	53	84-92.5	-	6	7	88X38X23
TWA965LHF6	64	51	51	80-90	-	7.5	8	22.5X50X90

MODEL NO.	月	月	月	月	POS ON	坐 姿	GW (kg)	寸 寸
TWA966LH	62	44	54	78-90	1	7	8.5	60X23X86
TWA966LH-B	68	46	53	78-90	1	6.6	8.2	60X23X86
TWA964H-1	70	43	82	78-90	1	10	10.8	80X26X72
TWA9622	60	47	47	78-90	1	10.3	12	70X20X75



◆TWA9611



◆TWA9612



◆TWA9600



◆TWA9601



◆TWA9613



◆TWA960



◆TWA9602



◆TWA961L

MODEL NO.	寸	月	肩	肘	POS ON	坐	G.W (kg)	寸/尺
TWA9611	78	70	-	61-93	1	12.9	14.4	82X78X83
TWA9612	71	44	62	109-130	1	9.4	11.8	77X273X97
TWA9613	68	51-63	-	98-108	1	12.9	14.4	82X77X63
TWA960	58	45	-	31	2	2.7	5.4	55X45X34

MODEL NO.	寸	月	肩	肘	POS ON	坐	G.W (kg)	寸/尺
TWA9600	57	43	-	34	2	21	4.2	54X48X28
TWA9601	42	39	-	30	1	21	2.9	39X28X07
TWA9602	46	26	-	80-105	1	5.6	6.9	48X27X50
TWA961L	49	44	43-61	74-92	2	8.7	7.7	51X59X79



◆TWA9142L



◆TWA203



◆TWA912L(XS)



◆TWA9122L



◆TWA9145L



◆TWA912L



◆TWA9122L-A



◆TWA9123L

MODEL NO.	寸	月	肩	肘	POS ON	坐 姿	G.W (kg)	寸 寸
TWA9142L	58	42.5	63	82-88	2	8.4	11.2	61050X08
TWA203	60	47	-	79-89	2	35	8.7	60034X09.5
TWA9145L	39	62	-	61-61	2	29	3.9	52.5X22X63
TWA912L	66	64-70	-	71-10	-	-	-	-

MODEL NO.	寸	月	肩	肘	POS ON	坐 姿	G.W (kg)	寸 寸
TWA912L(DS)	42	55	-	48.5-54.5	2	36	4.6	53X18X52
TWA9123L	62	60	-	45-55	2	6	6.6	60X18X05
TWA9122L-A	52	50	-	60-70	3	9.6	8.7	61K25X00
TWA9123L	60	72	-	80-100	3	14	11.2	70X30X08



◆TWA9123L(S)-B



◆TWA9124L



◆TWA915L



◆TWA9151L



◆TWA9125L



◆TWA9126L



◆TWA9152L



◆TWA9128L

MODEL NO.	寸	月	肩	肘	POS ON	坐 姿	G.W (kg)	寸 寸
TWA9123L(S)-B	71	-	-	54-64	2	6.6	7.8	68X29X59
TWA9124L	36	34	-	76-82	2	3.2	4	43X6X77
TWA9125L	51	44	-	79-97	2	6	6.8	62X9X84
TWA9126L	51	44	-	80-90	2	5	6.1	60X9X70

MODEL NO.	寸	月	肩	肘	POS ON	坐 姿	G.W (kg)	寸 寸
TWA915L	47	47	-	78-96	2	6.1	6.2	63X7X81
TWA9151L	47	47	-	78-96	2	6.1	6.2	63X7X81
TWA9152L	47	47	-	78-96	3	6.1	6.2	63X7X81
TWA9128L	55	44	-	83-93	2	7	8.1	68X18X70



◆TWA917L(S/M/L)



◆TWA9171L



◆TWA9621



◆TWA9610



◆TWA918L



◆TWA919L



◆TWA9631L



◆TWA9632L

MODEL NO.	寸	月	肩	肘	POS ON	坐 姿	G.W (kg)	寸
TWA917L(S/M/L)	45~49	38	-	85~95	10	18	18.7	-
TWA917L	62	40	-	77~95	4	8.0	10.0	74X68X44
TWA918L	58	38	-	78~98	10	19	22.1	96X68X38
TWA919L	47	40	-	78~98	2	4.8	5.0	93X77X81

MODEL NO.	寸	月	肩	肘	POS ON	坐 姿	G.W (kg)	寸
TWA9621	62	48	54	80~105	1	8.2	9.5	60X10X80
TWA9610	74	46	50	110~115	1	11.9	13.6	74X65X85
TWA9631L	52	54	-	73.5~92	4	2.3	9.2	57X27X76
TWA9632L	48	44	-	82~100	2	6.1	6.4	57X30X80



◆TWA967L



◆TWA9671L



◆TWA9634L



◆TWA9635L



◆TWA962



◆TWA963L



◆TWA9636L



◆TWA9637L

MODEL NO.	寸	月	肩	肘	POS ON	坐 姿	G.W (kg)	寸
TWA967L	48	44	-	79-96	2	52	6.5	57X8X82
TWA967L	48	44	-	79-96	2	52	6.5	57X8X82
TWA962	54	46	-	62-87	1	8	9.1	62X22X67
TWA963L	47	46	-	78-96	2	20	6.2	58X18X81

MODEL NO.	寸	月	肩	肘	POS ON	坐 姿	G.W (kg)	寸
TWA9634L	48	44	-	82-100	2	51	6.4	57X9X86
TWA9635L	48	44	-	82-100	2	51	6.4	57X9X86
TWA9636L	48	44	-	82-100	2	51	6.4	57X9X86
TWA9637L	48	44	-	82-100	2	51	6.4	57X9X86



◆TWA968L



◆TWA969H



◆TWA9121L-A



◆TWA9862LH



◆TWA9145L



◆TWA9671L



◆TWA004



◆TWA009

MODEL NO.	肩	月	背	肩	月	PCS ON	坐	GW (kg)	寸
TWA968L	58	48	53	78-90	1	7	84	60X92X88	
TWA969H	59	38	-	62-67	1	7.7	92	63X26X70	
TWA9145L	39	62	-	61-61	2	2.9	39	62.5X22X63	
TWA9671L	46	44	-	70-90	2	5.2	65	57X18X82	

MODEL NO.	肩	月	背	肩	月	PCS ON	坐	GW (kg)	寸
TWA9121L-A	55	38	-	41-51	2	5.2	62	69X30X62	
TWA9862LH	65	46	55	80-93	1	7	87	70.5X27X84	
TWA004	94	48	68	83.5-94.5	-	5	5	-	
TWA009	-	80	61-72	91-102	-	88	85	70X30X46	



TWA010

Aluminum delta rollator, powder coated frame,
Wired basket,
Tote bag and meal plate are included.
Easily squeeze and
release hand brakes



THE965LF1

Foldable aluminum rollerbar,
With hand brake.



THE966LFT

- The main frame is made of carbon material;
- The vehicle adopts the left and right folding design;
- Equipped with positioning self-locking braking system;
- Armrest five-level height adjustment;
- Equipped with front 10-inch rear 8-inch PVC plum blossom wheel;
- Equipped with luxury storage bag, crutch holder;



THE962LH

- The main frame is made of aviation-grade aluminum profiles;
- The whole vehicle adopts the tool-free quick-release design of the front and rear armrests of the front and rear wheels;
- Equipped with positioning self-locking braking system;
- Four-level height adjustment of armrest;
- Equipped with front 10-inch rear 8-inch PVC plum blossom wheel.

MODEL NO.	◎	◎	◎	◎	□	◎	□	□	◎	◎	◎	◎	◎
TW4010	-	82~87	20	-	62	20	-	-	80	15.1	6.8	86X30X72	
THE5010T	-	82~103	20	56	58	20	-	44	100	10.8	9.4	58X33X83	

MODEL NO.	ø3	ø5	ø6	ø8	ø10	ø12	ø14	ø16	ø18	ø20	ø22	ø24
THE9608U1	73	85-96	26	53	64	33	20-35	46	136	76	66	72X20X83
THE9621H	104	95-103	26	50	62	33	36	43	136	14	13	62X24X54



MODEL NO.	HIGH cm	SW cm	N.W. kg	G.W. kg	POS cm
TWA010L	71-94	84X15X28	0.36	7.9	20
TWA020L	71-94	65X25X26	0.36	7.7	20
TWA030L	71-94	65X25X27	0.36	7.8	20
TWA030L	71-94	65X25X27	0.36	7.6	20
TWA020L	71-94	65X25X26	0.36	7.8	20
TWA030L	67-90	65X25X26	0.36	7.8	20
TWA030L	67-90	65X25X28	0.34	7.3	20
TWA020L	71-94	65X25X26	0.33	7	20
TWA030L(14)	69-92	63X12X25	0.29	6.3	20
TWA030L	69-92	63X12X25	0.29	6.3	20
TWA040L	70-98	60X6X26	0.37	8	20
TWA040L	70-98	60X6X26	0.37	8	20
TWA020L	71-94	63X14X27	0.37	8	20
TWA027BL(13)	80-90	60X6X26	0.3	6.7	20
TWA037L	80-90	62X16X26	0.37	8.3	20

MODEL NO.	HIGH cm	SW cm	N.W. kg	G.W. kg	POS cm
TWA030L	87-90	63X05X28	0.34	7.3	20
TWA030L-4	71-94	65X05X27	0.38	7.8	20
TWA030L-1	71-94	65X05X27	0.36	7.6	20
TWA030L-2	71-94	65X05X27	0.36	7.6	20
TWA030L-3	71-94	65X05X27	0.36	7.6	20
TWA037L	71-94	63X05X27	0.36	7.6	20
TWA030L	71-94	63X05X27	0.36	7.6	20
TWA020L	71-94	65X05X26	0.38	7.7	20
TWA020L(W-3)	71-94	65X05X26	0.38	7.7	20
TWA020L(W-2)	71-94	65X05X26	0.38	7.7	20
TWA020L(W-1)	71-94	65X05X26	0.38	7.7	20
TWA030L	94-117	27X08X02	7.2	8.5	6
TWA030L	75-98	74X33X14	0.4	8.8	20
TWA038L	77-100	79X26X18	0.32	7.5	20
TWA028L	77-100	79X26X18	0.336	7.9	20

MODEL NO.	HIGH cm	SW cm	N.W. kg	G.W. kg	POS cm
TWA033L	95-126	60X25X31	0.57	12.1	10
TWA023L	86-117	86X26X29	0.30	8.3	10
TWA025L(S)	95-155	140X33X29	0.89	19.7	20
TWA025L(M)	95-135	109X33X29	0.82	16.4	20
TWA025L(S)	95-115	101X33X29	0.73	16.7	20
TWA030(L)	129-148	134X33X29	1	21.8	20
TWA035(M)	113-133	118X33X29	0.94	20.2	20
TWA036(S)	98-118	105X33X29	0.88	19.2	20
TWA035S	119-139	125X33X29	1.5	31.8	20
TWA0252L	100-130	83X33X29	0.05	20	20
TWA045L	94	85X26X40	0.87	10	10
TWA040L	80	85X20X41	0.85	9.3	10

MODEL NO.	HIGH cm	SW cm	N.W. kg	G.W. kg	POS cm
TWA026L	75-98	68X25X28	0.33	7.9	20
TWA0260L	75-98	68X25X28	0.33	7.4	20
TWA037L	95-119	100X30X30	0.63	10.5	20
TWA0204L	105-128	78X41X56	11.2	23.7	20
TWA0264L	106-146	109X32X27	0.78	16.2	20
TWA0294L	102-143	109X32X27	0.72	16.6	20
TWA0583	81	84X25X25	0.33	10.9	20
TWA036L	120	42X12X28	0.22	5	20
TWA0401	120	42X12X28	0.22	5	20
TWA043L	84	85X22X40	0.9	10	10
TWA047L	84	85X22X40	0.87	9.7	10



MODEL NO.	HIGH in	LOW in	SW	GW	PCS Ctn
TWA82	74-97	78X29X43	0.83	9.5	10
TWA826	74-94	78X29X36	0.78	8.7	10
TWA840S	74-97	78X29X43	0.88	9.5	10
TWA832	74-97	78X29X43	0.88	9.7	10
TWA841	72-94	65X26X32	0.6	7.4	10
TWA842S	74-90	78X29X43	0.85	9.7	10
TWA833I	67-92	72X26X35	0.87	7.7	10
TWA845	73-88	78X34X44	0.78	8.8	10
TWA8322	72-97	78X29X43	0.81	9.3	10
TWA824	65-88	72X30X34	0.8	9.2	10
TWA821	72-95	78X34X44	0.87	10.4	10

MODEL NO.	HIGH in	LOW in	SW	GW	PCS Ctn
TWA824L	68-88	72X30X34	0.62	6.4	10
TWA821L	74-97	63X41X46	0.74	9.4	10
TWA834	65-88	72X30X34	0.78	9.1	10
TWA831	72-94	70X34X44	0.8	10.6	10
TWA821L	70-88	78X29X36	0.5	6	10
TWA838L	74-97	63X41X46	0.74	9.4	10
TWA847	72-86	78X29X36	0.77	9.1	10
TWA822I	73.5-96	78X29X43	0.70	7.7	10
TWA8242L	89-100	72X30X34	0.62	6.4	10
TWA846A	74-94	78X29X43	0.85	9.5	10
TWA838L	55	60X29X32	1.44	16.1	10

MODEL NO.	HIGH in	LOW in	SW	GW	PCS Ctn
TWA838L(12)	77-100	78X29X18	0.32	7.5	20
TWA838L	120	42X12X25	5	5.8	20
TWA838L	77-100	70X29X38	0.32	7.5	20
TWA827SL-1	83-93	72X16X26	0.37	8.3	20
TWA825LC	108-146	108X32X27	0.75	16.2	20
TWA833LC	102-121	70X30X32	0.58	12.8	20
TWA833SL	95-126	98X29X31	0.57	12.1	20
TWA820BL	72-95	65X18X28	0.35	7.5	20
TWA821SL	70-96	43X33X42	0.493	7.2	12
TWA848L	75-95	81X34X34	3.4	4.3	4
TWA848L	75-95	81X34X34	3.4	4.3	4

MODEL NO.	HIGH in	LOW in	SW	GW	PCS Ctn
TWA810L	84	85X26X40	0.87	9.7	10
TWA810L	84	85X26X55	0.87	9.7	10
TWA827SL	100-110	70X30X32	0.46	10.4	20
TWA830SL-5	71-94	65X15X27	0.36	7.8	20
TWA838L	77-100	78X29X18	0.32	7.5	20
TWA841L	72-92	64X27X25	3.2	4.1	4
TWA841L	71-94	78X40X36	7.3	7.5	10
TWA825L	85-135	120X36X30	0.86	17.5	20
TWA825L	119-138	125X33X29	1.5	31.8	20
TWA8243	86-89	70X21X44	7.3	8.5	8
TWA841L	70-80	60X27X27	3.2	4.2	4





◆ THB3230W

Advanced medical motor system(2 pcs motors,1 piece control box,1 piece handset). Cold steel plate wholly Molded surface, P.P head and foot board, Luxury four-fold p.p guardrails, Easyto lift upand down by gas spring. 5' white noiseless castor, Accessories: i.v holes,urine hooks, Optional configuration: mattress, Over bed table i.V pole.



◆ THB3241WGZF7

7 function electric bed
4 section pp guard rail
Powder coating steel frame
Removable abs head and foot
bed boardcentral locking cas-
tors
Pedal control systempacking
size:219*109*63merall
size:218*108



◆ THB3240WZF8

5 function electrical bed,4 sec-
tion pp guard rail,
Foldable net head and footbed
board,
powder coating steel
frame,central locking abs cas-
tors,digital weight function,
emergency reset button,
backrest with x-ray examination
tray,pedal control system,
packing size: 221x109x70,over all
size: 220x108.



◆ THB3242WGZF8

4 section abs guard rail,
powder coating steel
frame,central locking abs cas-
tors,digital weight function,
pedal control system,packing
size: 217*104x50,over all size:
220*108.



◆ THB3238WGZF4-53

6 functions electric inclinable bed with commode form, net steel bed panel with mattress and commode bucket, foldable aluminum guard rail, powder coating steel frame, detachable abs head and foot board, pedal locking castor, packing size: 200 x 102 x 56, overall size: 207x96.



◆ THB3233WG

Electric three functions steelbed panel, detachable abs head & footbed-boards, aluminum removable guardrails, 4pedal locking castors, extention length end part of bed frame, powder coating mild steel frame, electric lifting system with ce.Ullopproval, packing size: 219x102x32, overall size: 234x96.



◆ THB3230WMZ

3 function electric bed with linakactuator, net bed panel, foldable aluminum guardrail, powder coating steel frame, wooden head and foot board, central control locking castor, overall size: 206 x 96, linakactuator system.



◆ THB3243LWMF10

5 function electrical bed, aluminum frame and platform, wooden head and foot bed board, aluminum foldable guard rail, 2lockingable castor, packing size: 209x90x33, overall size: 210x90.



◆ THB3236WM

Wooden bed panel & guard rails. Powder coating mild steel frame, pedal locking castors, packing size: 209x96x44, over all size: 209x105.



◆ THB3246WM

Wooden bed panel & guard rails, powder coating mild steel frame, pedal locking castors, packing size: 209x96x44. Overall size: 217x103.



◆ THB3131

50cm-3-section; 70cm-3-section; 90cm-3-section; 70cm-4-section; 70cm-5-section; 70cm-2-section(physiotherapy); Adjustable height from 46cm to 85cm raised by actuator system, five main pillows supported and angle-adjusted by gas springs, armrests height and direction adjustable(optional parts), Wheel lifting (central wheel lift, dual wheel lift), Packing size: 174x75x60, overall size: 174x75, length: 200cm, dynamic max load: 200kg, static max load: 250kg, pillow configurations.



◆ THB3121

Length: 210cm, dynamic max load: 200kg, static max load: 250kg, adjustable height from 46cm to 85cm raised by actuator system, two main pillows supported and angle-adjusted by gas springs, wheel lifting (central wheel lift, dual wheel lift), Packing size: 214x75x60, over all size: 214x75.





◆ THB3132

length: 200cm;
dynamic max load: 200kg, static
max load: 250kg,
adjustable height from 46cm
To 95cm raised by actuator
system, three main pillows sup-
ported andangle- adjusted by
gas springs, armrests height
and direction adjustable(optional
parts),
Wheel lifting (central wheel lift,
dual wheel lift),
Packing size: 174x75x60, over all
size: 174x75.



◆ THB3133WBF6

Advanced medical motor
system(3 pcs motors,1 piece
control box,1 piece handset),
Cold steel plate whollymolded
surface,
p.P head and foot board,alumi-
num alloy guardrails,which can
be foldable up anddown easily,
4° white noiseless castor,
accessories: I.V holes, urine
hooks,optional configuration:
mattress,over bed table,I.V pole.



◆ THB3244WM

Stainless steel examination ta-
ble with lift back.
size: l190 x w60 x h85 cm.



◆ THB3230WZ

Advanced medical motor
system(3 pcs motors,1 piece
control box,1 piece handset),
Cold steel plate whollymolded
surface,
p.P head and foot board,alumi-
num alloy guardrails,which can
be foldable up anddown easily,
4° white noiseless castor,
accessories: I.V holes, urine
hooks,optional configuration:
mattress,over bed table,I.V pole.





◆ THB3222W

Two manual crank system,cold steel plate whollymolded surface, p.P head and foot board,aluminum alloy guardrails,which can be foldable up anddown easily, 5' white noiseless castor, accessories: I.V holes, urine hooks,optional configuration: mattress,over bed table,I.V pole.



◆ THB3220W

Advanced medical motor system(2 pcs motors,1 piece controlbox,1 piece handset), Cold steel plate whollymolded surface, Pp head and foot board,aluminum alloy guardrails,which can be foldable upanddown easily, 5' white noiseless castor, accessories: I.V holes, urine hooks,Optional configuration: mattress,Over bed table I.V pole.



◆ THB3221W

Advanced medical motor system(4 pcs motors,1 piece control box,1 piece handset), Cold steel plate whollymolded surface, p.P head and foot board,aluminum alloy guardrails,Which can be foldable up anddown easily, 5' white noiseless castor, accessories: I.V holes, urine hooks,optional configuration: mattress,Over bed table I.V pole.



◆ THB3030W

Three manual crank system,Cold steel plate wholly Molded surface, p.P head and foot board, Aluminum alloy guardrails, which gonbe foldable up and down easily, 5' white noiseless castor, Accessories: I.Vholes,urine hooks,optional configuration: mattress,over bed table iv pole.





◆ THB3012W

Single manual crank system.Cold steel plate wholly Molded surface.
P.P head and foot board,aluminum alloy guardrails,which can be foldable up and down easily,
6" white noiseless castor,
accessories: I.V holes, urine
hooks,optional configuration:
mattress,over bed table I.V pole.



◆ THB3050W

Five manual crank system,cold
steel plate whollymolded sur-
face,
P.P head and foot board,alumi-
num alloy guardrails,which can
be foldable up and down easily,
6" white noiseless castor, ac-
cessories: I.V holes,urine
hooks,optional configuration:
mattress,over bed table I.V pole.



◆ THB3021SF2

Advanced medical motor
system(4 pcs motors,1 piece
control box,1 piece handset),
Cold steel plate whollymolded
surface, connected with abs
soft join,p.P head and foot
board, luxury four-fold p.P
guardrails,easily to lift up and
down by Gas spring,pedal cen-
tral-controlled castorbrake
system, accessories: I.V holes,
urine hooks,optional configura-
tion: mattress,over bed table I.V
pole.



◆ THB3231WM

Advanced medical motor
system(3 pcs motors,1 piece
control box,1 piece handset),
Fence tube bed board,
wooden head and foot
board,beautydesign,comfort-
able,home feeling,5"luxury cas-
tors; accessories: I.V holes, urine
hooks,optional configuration:
mattress,over bed table I.V pole.



Rehabilitation aid series



◆ TRA5610S

Size: 100cmx62.5cmx90cm



◆ TRA5601S



◆ TRA676A



◆ TRA676



◆ TRA5607S



◆ TRA5609S



◆ TRA5052



◆ TRA5051



TRA578



◆ TRA578B



◆ TRA5057



◆ TRA5053



● **TRA506**



● **TRA505**



● **TRA5056**



● **TRA5058**



● **TRA5605L**



● **TRA5605S**



● **TRA577**



● **TRA517**



● **TRA518**



● **TRA514**



● **TRA519**

H: 118cm-206cm H: 133cm-233cm



● **TRA515**



● **TRA516**

H: 136cm-230cm H: 120cm-200cm



● **TRA5621**

L: 178cm W: 40cm H: 78-105cm



● **TRA5721**

L: 77cm W: 38cm H: 72-112cm



● **TRA560**

L: 88cm W: 40cm H: 73-126cm



● **TRA572**

L: 77cm W: 40cm H: 72-113cm



● **TRA573**

W: 120cm D: 60cm H: 75cm




● **TRA575**

W: 120cm D: 60cm H: 75cm



● **TRA590**

W: 120cm D: 60cm H: 75cm



◆ TRA532

Mattress size: 105cmx86cmx8cm



◆ TRA533

Mattress size: 200cmx90cmx7cm



◆ TRA534

Mattress size: 105cmx86cmx8cm



◆ TRA535

Mattress size: 105cmx86cmx8cm



◆ TRA579



◆ TRA531



◆ TRA564



◆ TRA525B



◆ TRA525



◆ TRA525P



◆ TRA5606



◆ TRA565



◆ TRA512



◆ TRA566



◆ TRA5915



◆ TRA561



◆ TRA505



◆ TRA506



◆ TRA362



◆ TRA372



◆ TRA363



◆ TRA373



Wheelchair Bag



Wheelchair
Crutch Bag



Wheelchair
Pannier Bag



Deluxe
Scooter Bag

◆ TRA369

◆ TRA352

◆ TRA353


◆ TRA354



◆ TMR207



◆ TMR301



◆ TMR601



◆ TRA607



◆ TMR1005



◆ TMR600



C43 A29 C33 A30 A31



A32 A33 C38 C41 C42



C37 C45 C44 C46 C38



A5 A6 A7 A8 A21 A22 A23 A24



B15 B17 B18 B19 B20 B6 B7 B



H100 H101 H102 H103 H104 H105 H106



F84(61) F85(67) F86(69) F70(71) F72(73) F74 F75(76) F77



F78 F79 F80 F81 F82 F83 F84



新規段
EGO
EGO2
EGO3
DSF
DSH
DSI
DSD
DSU



For more information about the study, please contact Dr. Michael J. Hwang at (319) 356-4530 or via email at mhwang@uiowa.edu.



000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000
000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000
000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000
000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000
000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000	000-0000-0000-0000



TEW-C06



TEW-C04



TEW-C05



E903



TRA563



TRA568



TEW-C02



TEW-C03



GP07-22.5-26100-18



A04



A01



A11



GP10-32-26100-18SDZ3



GP08-19.8-26100-24LSDZ3



EC82N2448



A08



F89



D64



6-DZF-12



20-DZF-20



Lithium battery-12AH



F633



F63



F62



Charge-lead acid



Charge-lithium



HPC0090WB



H108



H108



B01